Measurement Worksheet
for Andersen® 400, 200, 100 Series Patio Doors

Andersen WINDOWS • DOORS AW

Customer

NAME | PHONE

ADDRESS | E-MAIL

CITY/STATE/ZIP | ORDER DATE | TOTAL DOOR UNITS

Gliding Doors

Style & Quantity	○ **FWG** Frenchwood® Gliding ○ **NGPD** Narroline® Gliding ○ **PSGPD** Perma-Shield® Gliding ○ **100GD** 100 Series Gliding — quantity needed of this unit: ____
Operation Viewed from Exterior	○ S ○ L ○ R ○ 4 panel (FWG & NGPD only)
Rough Opening & Unit Size	**rough opening**: Record down to nearest 1/8": ____ w x ____ h **unit size**: *Standard* Record from Andersen® Product Guide: ____ (e.g. 6068) or *Custom* Record to nearest 1/8": ____ w x ____ h
Assembly	**FWG :** ○ factory assembled (2 panel only) ○ not assembled (N/A for 100GD)
Color & Finish	**exterior**: ○ white ○ sandtone ○ Terratone® ○ forest green (FWG only) ○ cocoa bean (100 GD only) ○ dark bronze (100 GD only) **interior**: **FWG :** ○ pine ○ oak ○ maple ○ white; **NGPD :** pine; **100GD :** white; **PSGPD :** matches exterior color
Glazing	**FWG :** ○ High-Performance™ Low-E4®, tempered ○ High-Performance™ Low-E4® Sun, tempered ○ High-Performance™ Low-E4® SmartSun™, tempered **NGPD, PSGPD & 100GD :** ○ Low-E, tempered ○ Low-E SmartSun™, tempered *record other glass types in lower right*
Grille Style & Size ○ none	**Divided Light** (N/A for 100GD): ○ with spacer (FWG only) ○ no spacer ○ no spacer, removable interior **removable** (N/A for 100GD): ○ removable interior only **Finelight™**: ○ between glass ○ 3/4" ○ 7/8" (standard) ○ 1-1/8" ○ 2-1/4" ○ 3/4" (FWH & PSGPD only) ○ 1" (standard)
Grille Pattern	○ **equal light** *sketch pattern in lower right* ○ **prairie** ○ **custom** *sketch pattern in lower right* (N/A for 100GD)
Insect Screens	○ gliding ○ retractable (2 panel doors only), (N/A for 100GD)
Interior Extension Jambs (N/A for 100GD)	○ pine ○ oak ○ maple ○ white painted ○ white vinyl wrapped ○ 5-1/4" ○ 6-9/16" ○ 7-1/8" ○ ____
Hardware	**FWG/NGPD/PSGPD** only: **Encino®** ○ distressed bronze ○ distressed nickel; **Yuma®** ○ distressed bronze ○ distressed nickel; **Newbury®** ○ antique brass ○ bright brass ○ brushed chrome ○ oil rubbed bronze ○ polished chrome ○ satin nickel; **Whitmore®** ○ antique brass ○ bright brass ○ oil rubbed bronze ○ satin nickel; **Covington™** ○ antique brass ○ bright brass ○ oil rubbed bronze; **Tribeca®** ○ stone ○ white; **Anvers®** ○ bright brass ○ oil rubbed bronze ○ satin nickel **100GD** only: **Tulsa** ○ finish matches door; **Afton** ○ antique brass ○ bright brass ○ satin nickel ○ black ○ **mix-and-match** *record mixed interior and exterior styles & finishes in notes at right*

Hinged patio doors on back side.

Joined Combinations:

Select units being joined to this patio door.

○ transoms
○ sidelights
○ stationary panels
○ other patio doors

Attach completed joining worksheet.

Accessories:

○ Auxiliary Foot Lock
○ Exterior Keyed Lock (N/A for Afton hardware)
Interior Threshold (N/A for 100GD)
○ oak
○ maple
○ Aluminum Sill Support* (N/A for 100GD)
○ Ramped Sill Insert* (N/A for 100GD) (N/A with gliding insect screen or interior threshold)

**standard widths only, trimming required for some door widths*

Color matched sealant
○ white ○ cocoa bean
○ sandtone ○ dark bronze
○ Terratone®
○ forest green**

____ tube(s)

____ case(s) of 12

*** not available in cases*

Custom notes & sketches:

Product feature combinations subject to change. Consult your Andersen dealer for availability.

"Andersen" and all other marks where denoted are trademarks of Andersen Corporation. ©2011 Andersen Corporation. All rights reserved.

Hinged Doors

Style & Quantity

○ **FWH** Frenchwood® Hinged
○ **FWO** Frenchwood® Outswing
○ **ISPD** 200 Series Hinged Inswing

quantity needed of this unit: _____

Operation Viewed from Exterior

FWH & ISPD : (FWH only) :

○ active left
○ active right

FWO :

○ active left
○ active right

Rough Opening & Unit Size

rough opening	unit size	
Record down to nearest 1/8": _____ w x _____ h	*Standard* Record from Andersen® Product Guide: _____ (e.g. 6068)	or *Custom* Record to nearest 1/8": _____ w x _____ h

Color & Finish

exterior	interior	
○ white ○ sandtone ○ Terratone® ○ forest green (FWH & FWO only)	**FWH & FWO :** ○ pine ○ oak ○ maple ○ white	**ISPD :** ○ white

Glazing

FWH & FWO :
○ High-Performance™ Low-E4®, tempered
○ High-Performance™ Low-E4® Sun, tempered
○ High-Performance™ Low-E4® SmartSun™, tempered

ISPD :
○ Low-E, tempered
○ Low-E Sun, tempered
○ Low-E SmartSun™, tempered

record other glass types in lower right

Grille Style & Size

Divided Light

○ with spacer (FWG only)
○ no spacer
○ no spacer, removable interior

removable

○ removable interior only

Finelight™

○ between glass

○ 3/4" ○ 7/8" (standard) ○ 1-1/8" ○ 2-1/4" ○ 3/4" (FWH & FWO only) ○ 1" (standard)

Grille Pattern

○ **equal light** *sketch pattern*
○ **prairie** (N/A for ISPD with Finelight™)
○ **custom** (FWH & FWO only) *sketch pattern in lower right*

Insect Screens

FWH & ISPD : ○ hinged ○ gliding (2 & 3 panel only)

FWO : ○ retractable (interior mount, white only)

Wall Depth

○ 4-9/16" ○ 5-1/4" ○ 6-9/16" ○ 7-1/8" ○ _____

Extension Jambs

exterior extension jambs	interior extension jambs	
FWH : For walls thicker than 4-9/16", include exterior extension jambs to allow door(s) to open fully? (N/A with gliding insect screen)	**FWH & FWO :** ○ pine ○ oak ○ maple ○ white painted ○ white vinyl wrapped	**ISPD :** ○ white
○ yes (interior extension jambs **not** available) ○ no (interior extension jambs available)		

Hardware

Encino®
○ distressed bronze
○ distressed nickel

Yuma®
○ distressed bronze
○ distressed nickel

Newbury®
○ antique brass
○ bright brass
○ brushed chrome
○ oil rubbed bronze
○ polished chrome
○ satin nickel

Whitmore®
○ antique brass
○ bright brass
○ oil rubbed bronze
○ satin nickel

Covington™
○ antique brass
○ bright brass
○ oil rubbed bronze

Tribeca®
○ stone
○ white

Anvers®
○ bright brass
○ oil rubbed bronze
○ satin nickel

○ **mix-and-match:** *record mixed interior and exterior styles & finishes in notes at right*
○ **match hinges to hardware finish**

Gliding patio doors on front side.

Joined Combinations:

Select units being joined to this patio door.

○ transoms
○ sidelights
○ stationary panels
○ other patio doors

Attach completed joining worksheet.

Accessories:

○ Exterior Keyed Lock
○ Panel Stop (FWH only)
Interior Threshold (FWH only)
○ oak
○ maple
○ Aluminum Sill Support* (FWH & FWO only)
○ Oak Sill Step* (FWO only)
○ Handle Extension Kit
○ Ramped Sill Insert* (FWH only, not available with gliding screen)

**standard widths only, trimming required for some door widths*

Color matched sealant
○ white
○ sandtone
○ Terratone®
○ forest green**
_____ tube(s)
_____ case(s) of 12

*** not available in cases*

Custom notes & sketches:

Product feature combinations subject to change. Consult your Andersen dealer for availability.

"Andersen" and all other marks where denoted are trademarks of Andersen Corporation. ©2011 Andersen Corporation. All rights reserved.

Measurement Worksheet for Andersen® 400, 200, 100 Series Patio Door Combinations

Customer

REFERENCE NAME PHONE

Important : Attach this joining worksheet to main patio door measurement worksheet.

Joined Combinations

overall rough opening	patio door style		options	notes
Record up to nearest 1/8": ____ x ____ w x h	○ **FWG** Frenchwood® Gliding ○ **NGPD** Narroline® Gliding ○ **PSGPD** Perma-Shield® Gliding ○ **100 GD** 100 Series Gliding	○ **FWH** Frenchwood® Hinged ○ **FWO** Frenchwood® Outswing ○ **ISPD** 200 Series Hinged Inswing	Color/finish, glazing, etc., of units being joined, will match choices recorded on main patio door measurement worksheet. *Sketch grille patterns below.*	

NOTE: 100GD only available with 1-Way joining combinations.



Page__ of __

"Andersen" and all other marks where denoted are trademarks of Andersen Corporation. ©2011 Andersen Corporation. All rights reserved.

9052510