

What's in This Section

· uit	Illustrations
	Parts Illustration - Multi Panel Door
	Parts Illustration - Multi Panel Door - Rectangle Options (2016-Present)
Unit	Sizes
	Product Label
	Size Limitations
	Unit Configurations
	Panel Sets
	Panel Sets
	Panel Assembly - Active
	Panel Assembly - Passive
	Panel Assembly - Leading
	Panel Assembly - Jamb
	Panel Assembly - Basic
	Panel Assembly - Basic
	Replacement Door Panels
	Reglazing Kits
	Interior Glazing Stops (Nov 2018 - Present)
	Interior Glazing Stops (nOV 2018 Present)
	Astragals - Rectangle Options (2016-Present)
	Door Panel Parts
Haro	lware
	Hardware Application
	Trim Set Parts - AW / 2 1/4"
	Lock Assembly - AW
	Lock Parts - AW
	Shoot Bolt Swing Handle
	Pivot Set
	End Carrier
	Intermediate Carrier
	Hinges
	Magnetic Catches
	Frame Assembly
	Sill - 6 ⁹ / ₁₆ " Wall Thickness
	Sill Parts
	Extension Jambs - Interior
	Frame Parts




Installation Components		47
Installation Components	3 4	47
Service Replacement		49
Service Replacement Parts		49




Multiple Panel Doors

Parts Illustration

Parts Illustration - Multi Panel Door





Clad Outswing Folding Doors Unit Parts

Unit viewed from exterior




Parts Illustration

Parts Illustration - Multi Panel Door - Rectangle Options (2016-Present)

Note:

Contain & Drain Sill shown. 4" bottom rail shown.



Clad Outswing Folding Doors Unit Parts

Unit viewed from exterior




Product Label


Clad outswing folding doors have an identification logo etched on the bottom right corner of the glass as viewed from the interior.

This identification logo contains a "P Number". The "P Number" is located directly below the Andersen[®] logo.

"P Numbers" include both the Production Number and Line Item Number separated by an exclamation mark.

When ordering replacement parts, please provide the "P Number" and a brief description of the product and part required to ensure the replacement part(s) match the specifications of the original product. If unable to locate the "P Number" contact the appropriate Andersen® distributor.





Limitations

Unit

Maximum overall unit width = 48'

Maximum overall height = 10' (nominal)

Standard heights = 6'-8", 6'-11", 8' & 10' (nominal)

Frame depth = $6 \, {}^{9}/_{16}$ " to 11" in ${}^{1}/_{16}$ " increments

Maximum 16 panels per unit - maximum 8 panels per side

Door Panels

Maximum panel width = 39"

Standard panel widths = 24", 32", 36" & 39" (nominal)

All panels must be same width

Maximum panel height = 118"

Maximum panel weight = 176 lbs. (80kgs)

Panel Thickness = 1 3/4" & 2 1/4"




nit Configurat	ions				
te:	10115				
	are always	s listed from left to right as viewed	I from ext	terior.	
ı					
2 PANEL	2L	Interior Exterior	2R	Interior Exterior	
3 PANEL	2L1R		1L2R		
PANEL	3L		3R		
	2L2R				
4 PANEL	3L1R		1L3R		
	4L		4R		
	3L2R		2L3R		
5 PANEL	4L1R		1L4R		
	5L		5R		
	3L3R				
6 PANEL	4L2R		2L4R		
	5L1R 6L		1L5R 6R		
	4L3R		3L4R		
7 PANEL	5L2R 6L1R		2L5R 1L6R		
	OLIK 7L		7R		
 			711		
	4L4R		2/ -2		
8 PANEL	5L3R		3L5R		
PANEL	6L2R 7L1R		2L6R 1L7R		
	8L		8R		
		W W W		W W W	

Panel Sets


Note:

All possible configurations are made up of these panel sets. Each configuration is made up of a left and/or right panel set.

STES TIL WP (Left) PS WP (Right) PS INTERIOR WP (Right) PS WP (Right) PS TR EXTERIOR



3L INTERIOR PS ICS EXTERIOR OHS OHS WP (Left) PS ICS OHS OHS OHS OHS OHS



HARDWARE LEGEND



Flushbolts (top & bottom)

PS - Pivot Set

WP - Wall Pivot(s)

ICS - Intermediate Carrier Set


LCS - Left Carrier Set

RCS - Right Carrier Set

OHS - Offset Hinge Set


FHS - Flat Hinge Set








Panel Assembly - Active






Panel Assembly - Passive




- 1. Interior Glazing Stop
- 2. Top Rail Panel Cap
- 3. Pile Weatherseal (.330")
- 4. Watershed
- 5. Brush Sweep
- 6. Pile Weatherseal (.460")
- 7. Panel Weatherseal
- 8. Astragal



Clad Outswing Folding Doors - Passive Panels




Panel Assembly - Leading




Clad Outswing Folding Doors - Leading Panels

10. Astragal Cap (LL)






Panel Assembly - Leading



Clad Outswing Folding Doors - Leading Panels





Panel Assembly - Leading






Panel Assembly - Jamb








- 2. Top Rail Panel Cap
- 3. Pile Weatherseal (.330")
- 4. Watershed
- 5. Brush Sweep
- 6. Pile Weatherseal (.460")
- 7. Frame Weatherseal



Clad Outswing Folding Doors - Jamb Panels




Panel Assembly - Basic




Panel Assembly - Basic 3 Top Rail RHBP1 Side Stile RHBP2 Side Stile RHBP3 1. Interior Glazing Stop 2. Top Rail Panel Cap 3. Pile Weatherseal (.330") **Bottom Rail** 4. Watershed 5. Brush Sweep 6. Pile Weatherseal (.460") 7. Panel Weatherseal 6 5

Clad Outswing Folding Doors - Basic Panels









Interior Glazing Stops (Nov 2018 - Present)

Note: Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished w	hite.			
Interior Glazing Stop - 15/32" Ref. No. 1 page 13, 15, 17, 19 & 21				
	AAP Order No.	AW Order No.		
	PF2924			
Interior Glazing Stop - ¹⁹ / ₃₂ " Ref. No. 1 page <u>13</u> , <u>15</u> , <u>17</u> , <u>19</u> & <u>21</u>				
752 Net. No. 1 page 13, 13, 11, 19 & 21	AAP Order No.	AW Order No.		
	PF2878	AN Older No.		
Interior Glazing Stop - ²³ / ₃₂ " Ref. No. 1 page <u>13</u> , <u>15</u> , <u>17</u> , <u>19</u> & <u>21</u>				
	AAP Order No.	AW Order No.		
	PF2925			
Interior Claring Ctop 27/ D. C. N. d 40, 45, 47, 40, 0.4				
Interior Glazing Stop - ²⁷ / ₃₂ " Ref. No. 1 page <u>13</u> , <u>15</u> , <u>17</u> , <u>19</u> & <u>21</u>	AAP Order No.	AW Order No.		
		AW Order No.		
	PF2926			
Interior Glazing Stop - 31/32" Ref. No. 1 page 13, 15, 17, 19 & 21		A144 A 1 1:		
	AAP Order No.	AW Order No.		
	PF2927			

Interior Glazing Stop - 1 3/32" Ref. No. 1 page 13, 15, 17, 19 & 21		
	AAP Order No.	AW Order No.
	PF2928	



Interior Glazing Stops (nOV 2018 - - Present)

Note:

Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

Interior Glazing Stop - 1 7/32" Ref. No. 1 page 13, 15, 17, 19 & 21					
	AAP Order No.	AW Order No.			
	PF2929				


Interior Glazing Stop - 1 11/32" Ref. No. 1 page 13, 15, 17, 19 & 21					
	AAP Order No.	AW Order No.			
	PF2930				

Interior Glazing Stop - 1 15/32" Ref. No. 1 page 13, 15, 17, 19 & 21					
	AAP Order No.	AW Order No.			
	PF2931				


Interior Glazing Stop - 1 19/32" Ref. No. 1 page 13, 15, 17, 19 & 21		
	AAP Order No.	AW Order No.
	PF2932	

Interior Glazing Stop - 1 ²³ / ₃₂ " Ref. No. 1 page <u>13, 15, 17, 19 & 21</u>		
	AAP Order No.	AW Order No.
	PF2933	









Astragal Cap - Wood						
	Note:	AAP Order No.	AW Order No.			
	Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	PF2202				
Astragal Tongue - Wood						

Astragal Tongue - Wood						
	Note:	AAP Order No.	AW Order No.			
	Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	PF2254				

End Cap - Astragal / Aluminum			
n o	Note:	AAP Order No.	AW Order No.
	Available in 21 standard and any custom color.	PF2204	



Astragal Cap - Leading to Leading / Wood Ref. No. 10 page 13, 14			
	Note:	AAP Order No.	AW Order No.
	Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	PF2274	

Astragal Cap - Leading to Active / Wood Ref. No. 9 page 13, 14				
	Note:	AAP Order No.	AW Order No.	
	Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	PF1318		

Weatherseal - Frame Ref. No. 8 page 11, 12, 13, 14, 15			
	Notes	AAP Order No.	AW Order No.
	Note: Available in brown.	114640 (96") 114587 (144")	



Door Panel Parts			
Weatherseal - Pile / Head	Ref. No. 3 page 11, 12, 13, 14, 15, 16, 17, 18		
	Note:	AAP Order No.	AW Order No.
	Used in top rail panel cap and along lock set edge of active doors. Available in black. Pile height = .330"	113412	

Panel Cap - Top Rail Ref. No. 2 page 11, 12, 13, 14, 15, 16, 17, 18			
	Note:	AAP Order No.	AW Order No.
	Installed in top head door panels. Available in 21 standard and any custom color.	PF2867	

Weatherseal - Pile / Bottom Rail Ref. No. 6 page 11, 12, 13, 14, 15, 16, 17, 18			
at the same of the	Note:	AAP Order No.	AW Order No.
	Used along bottom of door panels. Available in black. Pile height = .460"	113327	


Weatherseal - Foam Ref. No. 7 page 11, 12, 13, 14, 15, 16, 17, 18			
	Note:	AAP Order No.	AW Order No.
	Installed along side stiles of leading and basic doors. Available in brown.	113325	

Pad - Foam / ³/s" x ⁷ /s" (Apr 2013 to Present)			
	Note:	AAP Order No.	AW Order No.
	Installed between weatherseals at head between panels Available in brown.	116259	

Watershed - Aluminum Ref. No. 4 page 11, 12, 13, 14, 15, 16, 17, 18

Note:


Available in 21 standard and any custom color. Watershed includes brush sweep and mounting screws.



Clad Outswing Folding Doors - Watershed

AAP Order No. AW Order No.	
PF2190]

Brush Sweep / Watershed Ref. No. 5 page 11, 12, 13, 14, 15, 16, 17, 18			
	Note:	AAP Order No.	AW Order No.
	Available in black. Filament Length = .530"	113324	



Unit viewed from exterior




Trim Set Parts - AW / 2 1/4"

Note:

These parts are used to adjust AW trim sets for application on a 2 ½" thick door panel. Parts are compatible with Newbury[®], Covington[®], Yuma[®], Whitmore[®], Encino[®], Anvers[®], Albany, and Tribeca[®] trim sets.

Bolt - Escutcheon Mounting / 65mm / 2 1/4" Door Panels



Note: #8-32 UNC x 65mm. For installing active, passive and dummy AW trim sets onto 2 1/4" door panels.

Finish	AAP Order No.	AW Order No.
Antique Brass	113729	9050881
Bright Brass	113730	9050882
Brushed Chrome	113731	9050883
Distressed Bronze	113732	9050884
Distressed Nickel	113733	9050885
Oil Rubbed Bronze	113734	9050886
Polished Chrome	113735	9050887
Satin Nickel	113736	9050888
White	113772	9050889
Stone	113773	9050890
Gold Dust	113774	9050891
Black	113775	9050892


Spindle - 8mm x 4 1/4" / 2 1/4" Door Panels



Note: For installing active, passive and dummy AW trim sets onto 2 ½" door panels.

AAP Order No.	AW Order No.
113737	9050893

Spindle - 8mm x 5 1/4" / 2 1/4" Door Panels



Note: For installing active, passive and dummy AW trim sets with 1 handle extender onto 2 ½" door panels.

AAP Order No.	AW Order No.
113738	9050894

Spindle - 8mm x 6 1/4" / 2 1/4" Door Panels



Note: For installing active, passive and dummy AW trim sets with 2 handle extenders onto 2 ½" door panels.


AAP Order No.	AW Order No.
113739	9050895

Lock Actuator - 2 1/4" Door Panel



Note:
For installing active AW trim sets onto 2 1/4"
door panels.

AAP Order No.	AW Order No.
113726	9050896



Note:

Trim sets for this hardware can be purchased from your Andersen® supplier.

Note:

Lock mechanisms are specifically sized for each individual order. To order replacement lock mechanisms please provide the P# or AW order number and a description of the lock mech you require (for which panel).

Lock Mechanism - AW / Active / Single Point				
	Orientation	AAP Order No.	AW Order No.	
	Left			
	Right			
Lock Mechanism - AW / Active / Multi-Point (Mar 201	2 to Present)			
Note:	Size	AAP Order No.	AW Order No.	
AW multi-point active locks are not handed.				
Lock Mechanism - AW / Active / Multi-Point (Prior to M	ar 2012)			
Note:	Size	AAP Order No.	AW Order No.	
AW multi-point active locks are not handed.				
Lock Mechanism - AW / Active / Multi-Point / Extended	ed (Nov 2009 to Pre	esent)		
Note:	Part	AAP Order No.	AW Order No.	
AW multi-point active locks are not handed. Extensions are	Lock			
handed. Not used on Active/Leading door units.	Extension - Left			
	Extension - Right			



Lock Parts - AW			
Strike Plate - AW / Active / Centra	al / Side Jamb / Stainless Steel		
	Note:	AAP Order No.	AW Order No.
	Use with the active lock system where active door opens against side jamb.	116196	


Strike Plate - AW / Active / Central / Astragal / Stainless Steel				
	Note:	AAP Order No.	AW Order No.	
	Use with the active lock system where active door opens against a passive door panel with astragal.	109854		

Strike Plate - AW / Active / Central / Leading Door Panel / Stainless Steel			
	Note:	AAP Order No.	AW Order No.
	Use with the active lock system where active door opens against a leading door panel.	116173	

Strike Plate - AW / Active / Multi-F	Point / Hook Bolt / Stainless Steel		
60	Note:	AAP Order No.	AW Order No.
	Upper A/L or L/A	116184	
	Note:	AAP Order No.	AW Order No.
	Lower A/L or L/A	116185	




Shoot Bolt Swing Handle



Shhot Bolt Swing Handle			
	Finish	AAP Order No.	AW Order No.
	Stainless Steel	116167	
	Matte Black	116169	

Pivot Set

Note: Top, Botoom and Wall Pivots can be reversed for left or right hand application. Left hand shown.



Top Pivot Block						
		Le	ft	Rig	ıht	
	Finish	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.	
	Stainless Steel	114356		114353		
	Matte Black	114357		114354		


Bottom Pivot Block							
		Left Right			jht		
	Finish	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.		
	Stainless Steel	114374		114371			
	Matte Black	114375		114372			

Wall Pivot						
		Le	ft	Rig	jht	
	Finish	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.	
	Stainless Steel	114362		114359		
	Matte Black	114363		114360		




End Carrier


Note: End Carriers can be reversed for left or right hand application. Left hand shown.







Pull Handle



End Carrier						
		Le	ft	Rig	ht	
	Finish	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.	
	Stainless Steel	116187		116188		
	Matte Black	116200		116201		


Pull Handle			
Note:	Finish	AAP Order No.	AW Order No.
Pull handles can be reversed for left or right application.	Stainless Steel	113199	
	Matte Black	113201	

Intermediate Carrier


Note:

Top intermediate carriers and bottom intermediate carriers are non-handed.

Top Intermediate Carrier



Bottom Intermediate Carrier



Top Intermediate Carrier			
•	Finish	AAP Order No.	AW Order No.
	Stainless Steel	114347	
	Matte Black	114348	

Bottom Intermediate Carrier			
	Finish	AAP Order No.	AW Order No.
	Stainless Steel	114350	
	Matte Black	114351	




Hinges


Hinges - Offset

Note:

Offset hinges are available with or without handles and can be reversed for left or right hand application. Left hand position shown.







Offset Hinge c/w Handle





Hinge - Offset			
	Finish	AAP Order No.	AW Order No.
	Stainless Steel	113127	
	Matte Black	113128	


Hinge - Offset / With Handle			
	Finish	AAP Order No.	AW Order No.
	Stainless Steel	113124	
	Matte Black	113125	



Hinges - Flat

Note:

Flat hinges are available with or without handles and can be reversed for left or right hand application. Left hand position shown.



Hinge - Flat			
	Finish	AAP Order No.	AW Order No.
	Stainless Steel	113097	
	Matte Black	113098	

Hinge - Flat / With Handle			
	Finish	AAP Order No.	AW Order No.
	Stainless Steel	113118	
	Matte Black	113119	




Hardware

Magnetic Catches

Large Magnetic Catch (used o	on door panels with trimset hardw	vare)	
Note: Magnetic Catches	Finish	AAP Order No.	AW Order No.
supplied in pairs	Stainless Steel	115340	
	Matte Black	115341	

Small Magnetic Catch	(used on door panels without trimset har	dware)	
Note: Magnetic Catches	Finish	AAP Order No.	AW Order No.
supplied in pairs	Matte Black	115339	







Sill - 6 9/16" Wall Thickness

Sill - Contain and Drain

Note:


Sills available in gray and bronze.






Clad Outswing Folding Doors - Contain & Drain Sill









Sill Parts

Sill Cap - Wood / 2 1/4" Door Panel Ref. No. 4 page 48				
		AAP Order No.	AW Order No.	
	Note: Available in oak, maple or mahogany.	PF2097		

Sill Cap - Wood / 2 1/4" Door Panel / High Performance				
		AAP Order No.	AW Order No.	
	Note: Available in oak, maple or mahogany.	PF2910		

Cover - Weep Hole			
	Color	AAP Order No.	AW Order No.
	Gray	113176	9050909
	Black	113259	9050910

Drain Cover - Sill				
	Sill	Color	AAP Order No.	AW Order No.
	Standard	Gray	113513	
		Black	113514	
	High	Gray	113175	
·	Performance	Black	113260	



Sill Insert - Contain & Drain / Vinyl				
	N. A		AW Order No.	
	Note: Available in gray or bronze.	PF2184		

Interior Trim - Sill / Woo	od Ref. No. 10 <u>page 47</u> & <u>48</u>		
	Note:	AAP Order No.	AW Order No.
	Available in oak or mahogany.	PF1295	

Floor Track - Track-In-Floor / Aluminum				
	Note:	AAP Order No.	AW Order No.	
	Includes Vinyl Track Liner. Available in gray or bronze.	PF2289		

Track Liner - Sill / Vinyl	Ref. No. 6 page 47 & 48		
	Notes	AAP Order No.	AW Order No.
	Note: Available in black.	PF2111	



Gasket - Contain & Drain Sill	k		
_	Orientation	AAP Order No.	AW Order No.
	Right	113334	
	Left	113333	

Gasket - Contain & Drain Sill /	Orientation	AAP Order No.	AW Order No.
	Right	114603	
	Left	114604	

Gasket - Low Profile Sill / Black				
_	C	Orientation	AAP Order No.	AW Order No.
0		Right	113575	
		Left	113574	


Weatherseal - Sill Ref. No. 9 page 47 & 48			
	Note:	AAP Order No.	AW Order No.
	Available in brown.	PF2156	



Extension Jambs - Interior

Note:

Outswing folding doors are extended to the interior. Custom extension jambs are available to accommodate thicker walls. Sills are not extended.



Extension Jamb - 9/16" / Lineal				
	Note:	AAP Order No.	AW Order No.	
	Used for 7 ¹ / ₈ " wall thickness. Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.	Custom		



Frame Parts			
Weatherseal - Frame Ref.	No. 7 page 47 & 48		
	Notes	AAP Order No.	AW Order No.
	Note: Available in brown.	114640 (96")	
		114587 (144")	

Weatherseal - Pile / Head Track Ref. No. 12 page 47 & 48				
	Note:	AAP Order No.	AW Order No.	
	Available in black. Pile height = .380"	113326		

Brickmould - Lineal & Curved / Aluminum Ref. No. 5 page 47 & 48				
14.		AAP Order No.	AW Order No.	
	Note: Available in 21 standard and any custom color.	PF2088		

Gasket - Frame / Clad				
N. d	Color	AAP Order No.	AW Order No.	
Note: Gaskets are non-handed.	Gray	113331		
	Black	113330		
	White	113332		
	Note: Gaskets are non-handed.	Note: Gaskets are non-handed. Gray Black	Note: Gaskets are non-handed. Gray 113331 Black 113330	



Joining Components

Mullion Covers			
Mullion Cover - Interior / Direct Mu	llion / Vertical / Lineal		
	Note: Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.	AAP Order No. WMC14	AW Order No.
Mullion Cover - Interior / 3/8" Mullion	n / Vertical / Lineal		
	Nata	AAP Order No.	AW Order No.
	Note: Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.	PF2037	
Mullion Cover - Interior / 2" Mullion	/ Vertical / Lineal		
	Note:	AAP Order No.	AW Order No.
	Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.	PF2034	
Mullion Cover - Exterior / Direct Mu	ıllion / Aluminum		
	Note:	AAP Order No.	AW Order No.
J7	Available in 21 standard and any custom color.	PF2072	
Mullion Cover - Exterior / 3/8" Mullio	on / Aluminum		
	Note:	AAP Order No.	AW Order No.
	Available in 21 standard and any custom color.	PF2073	
Mullion Cover - Exterior / 2" Mullion	n / Aluminum		
	Note:	AAP Order No.	AW Order No.
	Available in 21 standard and any custom color.	PF2076	



Installation Components

Installation Components				
Screw Pack - Installation				
	Sill Type	Unit Width	AAP Order No.	AW Order No.
	Contain & Drain	Up to 144"	113492	
~755	Sill	144" to 288"	113493	
		Greater than 288"	113857	
MILITALITA III	Low Profile Sill	Up to 144"	113690	
COLLIA.		144" to 288"	113691	
		Greater than 288"	113859	
	Track in Floor	Up to 144"	113694	
		144" to 288"	113695	
		Greater than 288"	113861	
Installation Flange - Lineal Ref.	No. 8 <u>page 47</u> & <u>48</u>		,	
motanation range 2mour 170%	740. 0 <u>pago 11</u> u <u>10</u>		AAP Order No.	AW Order No.
			PF2079	
Installation Flange - Foldable			,	
mistanation riange - rollable			AAP Order No.	AW Order No.
				7 111 0 1 1101 1101
			PF2081	
Drip Cap - Aluminum				ANA Onclose N
Drip Cap - Aluminum			AAP Order No.	AW Order No.
Drip Cap - Aluminum				AW Order No.
Drip Cap - Aluminum			AAP Order No.	AW Order No.
Drip Cap - Aluminum			AAP Order No.	AW Order No.
			AAP Order No.	AW Order No.
Drip Cap - Aluminum Flexible Drip Cap - Flexible / 18'	Notes	Color	AAP Order No.	AW Order No.
	Note: Can be ordered by		AAP Order No. PF2085	

foot.

103253

Beige



Installation Components

Clip - Sill / Stainless Steel		
	AAP Order No.	AW Order No.
	113177	

Corner Gasket - Installation Flange				
		AAP Order No.	AW Order No.	
		113018		

Straight Gasket - Installation Flange				
	AAP Order No.	AW Order No.		
	113203			

Installation Clips - 6"		
	AAP Order No.	AW Order No.
	112736	



Service Replacement

Service Replacement Parts

Service Parts				
Weatherseal - Long R	each / 97"			
		Color	AAP Order No.	AW Order No.
		White	104602	9050748
		Bronze	104604	9050749

Touch-Up Paint				
Louch-Up Paint Wester Wester RAMMERS	Note: Custom colors available.	Color	AAP Order No.	AW Order No.
		White	104585	
		Terratone®	104586	
		Sandtone	104587	
		Forest Green	104588	



Notes