



What's in This Section

Single and Double Clad Outswing Entry Doors	Page 3
Parts Illustration	3
Parts Illustration - Single Doors	3
Parts Illustration - Double Doors	4
Parts Illustration - Active Doors	5
Parts Illustration - Passive Doors	6
Parts Illustration - Stationary Doors	7
Unit Sizes	8
Product Label	8
Standard Sizes	9
Panels	11
Shapes and Sizes	11
Panel Assembly - Active	12
Panel Assembly - Passive	13
Panel Assembly - Stationary	14
Panel Options	15
Replacement Door Panels	16
Reglazing Kits	16
Replacement Raised / Flat Panels	17
Interior Glazing Stops	18
Astragals	19
Decorative Raised Mouldings	23
Door Panel Parts	24
Grilles	26
Interior and Exterior Grilles	26
Grille Profiles - Wood	27
Grille Profiles - Aluminum	28
Grille Profiles - Fibrex™	28
Standard Grille Patterns	29
Grille Parts	30
Hardware	31
Trim Set Illustration - Active	31
Trim Set Illustration - Semi-Active	32
Trim Set Illustration - Dummy	33
Trim Sets	34

Trim Set Illustration - European / Active	35
Trim Set Illustration - European / Semi-Active	36
Trim Set Illustration - European / Dummy	37
Trim Set - European	38
Shared Trim Set Parts	39
Trim Set Parts - AW / 2 ¼"	41
Lock Assembly - AW	42
Lock Parts - AW	44
Lock Assembly - GU	45
Lock Assembly - GU	46
Lock Parts - GU	48
Lock Assembly - Old GU	49
Lock Assembly - Old GU	50
Lock Parts - GU	52
Flush Bolts	53
Hinges - 4½"	55
Screws - Hinges	58
Frames	59
Frame Assembly - Active & Passive	59
Frame Assembly - Stationary	61
Sill	62
Sill Parts	63
Extension Jambs	66
Frame Parts	67
Joining Components	68
Mullion Covers - Interior	68
Mullion Covers - Exterior	69
Interior Casing	70
Casing Profiles	70
Casing Parts	72
Installation Components	74
Installation Parts	74
Service Replacement	Page 77
Service Replacement Parts	77
Service Parts	77


Andersen®
Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors

Parts Illustration

Parts Illustration - Single Doors

Note:
Single doors can be active or stationary.



Manufactured 2001 to Present
Clad Outswing Entry Doors Unit Parts - Single Door


Unit viewed from exterior

Parts Illustration

Parts Illustration - Double Door

Note:

Double doors can be active/passive, passive/active, active/stationary, stationary/active, or stationary/stationary.



Manufactured 2001 to Present
Clad Outswing Entry Doors Unit Parts - Double Doors


Unit viewed from exterior

Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors

Parts Illustration


Parts Illustration - Active Door



Clad Outswing Entry Doors - Active Door

Parts Illustration

Parts Illustration - Passive Door




Clad Outswing Entry Doors - Passive Door

Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors

Parts Illustration

Parts Illustration - Stationary Door



Clad Outswing Entry Doors - Stationary Door



Unit Sizes

Product Label

Clad outswing entry doors have an identification logo etched on the bottom right corner of the glass as viewed from the interior. If there is no glass the identification logo may be behind the hinge leaf of the top hinge on a single door or top right hinge of a double door or on the outside of the bottom hinge.

This identification logo contains a "P Number". The "P Number" is located directly below the Andersen® or KML by Andersen™ logo. "P Numbers" include both the Production Number and Line Item Number separated by an exclamation mark.

When ordering replacement parts, please provide the "P Number" and a brief description of the product and part required to ensure the replacement part(s) match the specifications of the original product. If unable to locate the "P Number" contact the appropriate Andersen® distributor.



Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors


Unit Sizes

Standard Sizes


Note:

Standard sizes similar to Andersen® 400 and/or 200 Series product. Custom sizes and shapes available.


Rectangle Doors

		Unit No.	Dimensions (w × h)
		24S102	25 5/8" × 82"
		30S102	31 5/8" × 82"
		32S102	33 5/8" × 82"
		36S102	37 5/8" × 82"
		42S102	43 5/8" × 82"
		24E102	25 5/8" × 95"
		30E102	31 5/8" × 95"
		32E102	33 5/8" × 95"
		36E102	37 5/8" × 95"
		42E102	43 5/8" × 95"


Double Rectangle Doors


		Unit No.	Dimensions (w × h)
		24S102DBL	50 3/4" × 82"
		30S102DBL	62 3/4" × 82"
		32S102DBL	66 3/4" × 82"
		36S102DBL	74 3/4" × 82"
		42S102DBL	86 3/4" × 82"
		24E102DBL	50 3/4" × 95"
		30E102DBL	62 3/4" × 95"
		32E102DBL	66 3/4" × 95"
		36E102DBL	74 3/4" × 95"
		42E102DBL	86 3/4" × 95"


Arch Top Doors

		Unit No.	Dimensions (w × h)
		24S108	25 5/8" × 82"
		30S108	31 5/8" × 82"
		32S108	33 5/8" × 82"
		36S108	37 5/8" × 82"
		42S108	43 5/8" × 82"
		24E108	25 5/8" × 95"
		30E108	31 5/8" × 95"
		32E108	33 5/8" × 95"
		36E108	37 5/8" × 95"
		42E108	43 5/8" × 95"

Unit Sizes

Double Arch Doors			
		Unit No.	Dimensions (w × h)
		24S110	50 ¾" × 82"
		30S110	62 ¾" × 82"
		32S110	66 ¾" × 82"
		36S110	74 ¾" × 82"
		42S110	86 ¾" × 82"
		24E110	50 ¾" × 95"
		30E110	62 ¾" × 95"
		32E110	66 ¾" × 95"
		36E110	74 ¾" × 95"
		42E110	86 ¾" × 95"

Springline™ Doors			
		Unit No.	Dimensions (w x h)
		36S112	37 ⅝" × 82"
		42S112	43 ⅝" × 82"
		36E112	37 ⅝" × 95"
		42E112	43 ⅝" × 95"

Double Springline™ Doors			
		Unit No.	Dimensions (w x h)
		36E112	74 ¾" × 95"

Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors

Panels


Shapes and Sizes

Note:


These doors represent only a few of the many styles available.




178




194




214




218




229




230




232




275




323




693




223




328




622



640



709




712

Clad Outswing Entry Doors - Shapes and Styles


Panels

Panel Assembly - Active



Clad Outswing Entry Doors - Active Panels


Panel Assembly - Passive



Clad Outswing Entry Doors - Passive Panels

Panels

Panel Assembly - Stationary



- [1. Interior Glazing Stop](#)
- [2. Curved Interior Glazing Stop](#)
- [3. Sealant Glazing Compound](#)
- [4. Watershield](#)
- [5. Slab Extender](#)
- [6. Rainskirt - Stile](#)
- [7. Rainskirt - Top Rail](#)
- [8. Panel Cap](#)
- [9. Fixed Astragal](#)

Clad Outswing Entry Doors - Stationary Panels


Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors


Panels

Panel Options

Panel Thicknesses




1 ¾" Thick Door Panel




2 ¼" Thick Door Panel


Glass / Flat Panels / Raised Panels



Glass




Flat Panel



Raised Panel

Panels

Replacement Door Panels


**Note:**

Replacement door panels are made to order.

To order, complete the **Hinge Location Form** and state:

1. **Description of Part** (replacement door panel)
2. **Quantity**
3. **P number** (from product label, see [page 8](#))

Reglazing Kits

**Kit Includes:**

Glass unit.

Interior glazing stops and permanent grilles are optional and must be ordered separately.

Glazing stops and grilles have tape applied.

Note:


Reglazing kits are made to order.

To order, state:

1. **Description of Part** (reglazing kit)
2. **Quantity**
3. **P number** (from product label, see [page 8](#))

Replacement Raised & Flat Panels

Raised Panels



Note:

Raised panels are made up of 3 parts; exterior panel, interior panel & core.

Raised panels can be ordered as separate pieces or as a set.


Interior raised panels are available in pine, oak, mahogany, maple, cherry, Douglas fir, alder and prefinished white.

Exterior raised panels are available in 21 standard and any custom color.

To order, state:

1. **Description of Part (raised panel)**
2. **Quantity**
3. **P number (from product label, see [page 8](#))**

Flat Panels



Note:

Flat panels are 1 piece.

Interior of flat panels are available in pine, oak, mahogany, maple, cherry, Douglas fir, alder and prefinished white.

Exterior of flat panels are available in 21 standard and any custom color.

To order, state:


1. **Description of Part (flat panel)**
2. **Quantity**
3. **P number (from product label, see [page 8](#))**


Panels



Interior Glazing Stops



Note:



Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.



Interior Glazing Stop - 1/2" - Lineal <i>Ref. No. 1 page 12, 13 & 14</i>			
	Note: Used on decorative insulating art glass in 1 3/4" door panels.	AAP Order No.	AW Order No.
		PF1008	

Interior Glazing Stop - 1/2" - Curved <i>Ref. No. 2 page 12, 13 & 14</i>			
	Note: Used on decorative insulating art glass in 1 3/4" door panels.	AAP Order No.	AW Order No.
		PF1016	

Interior Glazing Stop - 5/8" - Lineal & Curved <i>Ref. No. 1 & 2 page 12, 13 & 14</i>			
 	Note: Used on dual pane 1 3/4" door panels.	AAP Order No.	AW Order No.
		PF1755	

Interior Glazing Stop - 15/16" - Lineal & Curved <i>Ref. No. 1 & 2 page 12, 13 & 14</i>			
 	Note: Used on decorative insulating art glass in 2 1/4" door panels.	AAP Order No.	AW Order No.
		PF1483	

Interior Glazing Stop - 1 3/16" - Lineal & Curved <i>Ref. No. 1 & 2 page 12, 13 & 14</i>			
 	Note: Used on single pane 1 3/4" door panels and dual pane 2 1/4" door panels.	AAP Order No.	AW Order No.
		PF1011	

Interior Glazing Stop - 1 13/16" - Lineal & Curved <i>Ref. No. 1 & 2 page 12, 13 & 14</i>			
 	Note: Used on single pane 2 1/4" door panels.	AAP Order No.	AW Order No.
		PF1758	


Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors

Panels

Astragals

Astragal (November 2010 to Present) Ref. No. 10 [page 13](#)




Note:

Replacement astragals are made to order.

To order, state:

1. Description of Part (astragal, including left- or right-hinged door panel)
2. Quantity
3. P number (from product label, see [page 8](#))

Astragal Cap - Wood (March 2007 to Present)



Note:

Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

AAP Order No.

PF2202

AW Order No.

Astragal Tongue - Wood (November 2010 to Present)



Note:

Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

Panel

1 ¾"

2 ¼"

AAP Order No.

PF2434

PF2435

AW Order No.

End Cap - Astragal / Aluminum (November 2010 to Present)



Note:


Available in 21 standard and any custom color.

AAP Order No.

PF2204

AW Order No.

Security Cap - Astragal / Aluminum (March 2007 to Present)



Note:

Available in 21 standard and any custom color.

AAP Order No.

PF1970

AW Order No.

Weatherseal - Security Cap (March 2007 to Present)




AAP Order No.

109842

AW Order No.

Panels

Astragal - Stationary Panel *Ref. No. 9 [page 14](#)*


Note:

Replacement astragals are made to order.

To order, state:

1. **Description of Part** (astragal, including left- or right-hinged door panel)
2. **Quantity**
3. **P number** (from product label, see [page 8](#))

Astragal Cap - Stationary / Wood


Note:

Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

AAP Order No.

PF2255

AW Order No.

Astragal Tongue - Stationary / 1 3/4" Panel / Wood


Note:

Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

AAP Order No.

PF2357

AW Order No.

Astragal Tongue - Stationary / 2 1/4" Panel / Wood


Note:


Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

AAP Order No.

PF2358

AW Order No.

End Cap - Stationary / Astragal / Aluminum


Note:

Available in 21 standard and any custom color.

AAP Order No.


PF2356


AW Order No.


Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors


Panels

Astragal (March 2007 to November 2010)			
		<p>Note: Replacement astragals are made to order.</p> <p>To order, state:</p> <ol style="list-style-type: none">1. Description of Part (astragal, including left- or right-hinged door panel)2. Quantity3. P number (from product label, see page 8)	


Astragal Tongue - 1 3/4" / Wood (March 2007 to November 2010)			
	<p>Note: Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.</p>	AAP Order No.	AW Order No.
		PF1963	


Astragal Tongue - 2 1/4" / Wood (March 2007 to November 2010)			
	<p>Note: Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.</p>	AAP Order No.	AW Order No.
		PF1964	


End Cap - Astragal / Aluminum (March 2007 to November 2010)			
	<p>Note: Available in 21 standard and any custom color.</p>	AAP Order No.	AW Order No.
		PF1972	


Filler Block - Astragal / Stationary / Lineal (Prior to November 2010)			
	<p>Note: Replaces weatherseal on stationary doors. Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.</p>	AAP Order No.	AW Order No.
		PF1509	


Panels


Astragal (Prior to March 2007)	
 <p>Weatherseal</p> <p>Astragal Tongue</p> <p>Astragal Cap</p>	<p>Note: Replacement astragals are made to order.</p> <p>To order, state:</p> <ol style="list-style-type: none"> Description of Part (astragal, including left- or right-hinged door panel) Quantity P number (from product label, see page 8)

Astragal Cap - Wood (Prior to March 2007)			
	<p>Note: Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.</p>	AAP Order No.	AW Order No.
		PF1318	

Astragal Tongue - 1 3/4" Door Panel (Prior to March 2007)			
	<p>Note: Used on 1 3/4" door panels. Available in 21 standard and any custom color.</p>	AAP Order No.	AW Order No.
		PF1535	

Astragal Tongue - 2 1/4" Door Panel (Prior to March 2007)			
	<p>Note: Used with PF1535 on 2 1/4" door panels. Available in 21 standard and any custom color.</p>	AAP Order No.	AW Order No.
		PF1332	

Security Cap - Astragal / Aluminum (Prior to March 2007)			
	<p>Note: Security cap available in 21 standard and any custom color.</p>	AAP Order No.	AW Order No.
		PF1620	

Weatherseal - Security Cap (Prior to March 2007)			
		AAP Order No.	AW Order No.
		102583	

Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors

Panels

Decorative Raised Mouldings

Note:


When using decorative raised mouldings the only lockset backset available is 2¾". On 24" doors, raised mouldings will interfere with lockset.



Clad Outswing Entry Doors - Decorative Raised Mouldings

Decorative Raised Moulding - Exterior / Lineal & Curved / Aluminum

		AAP Order No.	AW Order No.
		PF1555	





Note:

Available in 21 standard and any custom color.

Decorative Raised Moulding - Interior / Lineal & Curved / Wood

		AAP Order No.	AW Order No.
		PF1470	




Note:

Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

Panels

Door Panel Parts


Slab Extender Ref. No. 5 [page 12, 13 & 14](#) (September 2011 to Present)


Note:


Slab extenders are provided with cladding and interior trim but cladding and interior trim can be ordered separately.

Clad Outswing Commercial Doors - Slab Extender


Slab Extender - Body / PVC (September 2011 to Present)

		AAP Order No.	AW Order No.
		PF2194	


Cladding - Exterior / Slab Extender / Aluminum (September 2011 to Present)

	Note: Available in 21 standard and any custom color.	AAP Order No.	AW Order No.
		PF2186	

Trim - Interior / Slab Extender / Wood (September 2011 to Present)

	Note: Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	Panel	AAP Order No.	AW Order No.
		1 3/4"	PF2195	
		2 1/4"	PF2196	







Slab Extender (prior to September 2011)

	Note: Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white. Exterior clad available in 21 standard and any custom color.		Panel	AAP Order No.	AW Order No.
		From Nov 2010 to Sept 2011	1 3/4"	PF2227	
			2 1/4"	PF2267	
		Prior to Nov 2010	1 3/4"	PF1169	
			2 1/4"	PF1528	

Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors


Panels

Watershed - Aluminum <i>Ref. No. 4 page 12, 13 & 14</i>			
	Note: Available in 21 standard and any custom color.	AAP Order No.	AW Order No.
		PF2190	
Rainskirt - Top Head <i>(September 2001 to Present) Ref. No. 7 page 12, 13 & 14</i>			
	Note: Available in lengths up to 94".	AAP Order No.	AW Order No.
		PF1026	
Rainskirt - Side Stiles <i>Ref. No. 6 page 12, 13 & 14</i>			
	Note: Available in lengths up to 94".	AAP Order No.	AW Order No.
		PF1500	9050868
Support Plate - Double Doors / Passive Panels <i>(December 2010 to November 2011)</i>			
	Note: Used on passive panels of double doors.	AAP Order No.	AW Order No.
		113877	
Eyelet - Modified			
	Note: Used under support plate.	AAP Order No.	AW Order No.
		2228	
Panel Cap <i>Ref. No. 8 page 12, 13 & 14</i>			
	Note: Available in 21 standard and any custom color.	AAP Order No.	AW Order No.
		PF2122	

Grilles


Interior and Exterior Grilles

Full Divided Light




Permanent Exterior
Permanent Interior
With Spacer

Simulated Divided Light




Permanent Exterior
Permanent Interior




Permanent Exterior
Removable Interior

Easy Clean Options



Removable Interior



Finelight™ Between-the-Glass

Note:

Replacement interior and exterior grilles are made to order.

All grille configurations are available with interiors and exteriors to match interiors and exteriors of windows.

To order, state:

1. **Description of Part** (interior or exterior and type of grille)
2. **Quantity**
3. **P number** (from product label, see [page 8](#))

Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors

Grilles

Grille Profiles - Wood

Note:

Standard grille and divided light bars are for interior use only. Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.

Standard Grille Bars

3/4"



PF1717

Roman Ogee Style



PF1828

7/8"



PF1718



PF1829



GBD178

1 1/8"



PF1719



PF1830

Divided Light Bars

Chamfer Style

Roman Ogee Style

3/4"



PF1720

7/8"



PF1721



PF1888

1 1/8"



PF1722




PF1889

1 1/2"



PF2050



PF1954

2 1/4"



PF1723

Clad Outswing Entry Doors - Wood Grille Profiles

Grilles

Grille Profiles - Aluminum

Note:

Aluminum divided light bars are for exterior use only. Available in 21 standard and any custom color.

Divided Light Bars

Chamfer Style

Roman Ogee Style

3/4"



PF1780

7/8"



PF1781



PF1861

1 1/8"



PF1782




PF1862

1 1/2"



PF1953

2 1/4"



PF1783

Clad Outswing Entry Doors - Aluminum Grille Profiles

Grille Profiles - Fibrex™

Note:

Fibrex™ divided light bars are for interior and exterior use. Available in 21 standard and any custom color.

Divided Light Bars


Chamfer Style

3/4"




PF1623

7/8"




PF1624

1 1/8"



PF1625

2 1/4"



PF1626


Clad Outswing Entry Doors - Fibrex™ Grille Profiles

Standard Grille Patterns


Note:

Custom grille patterns are available.


Colonial



Renaissance



Prairie





Clad Outswing Entry Doors - Grille Patterns



Grilles

Grille Parts



Grille Surround - $\frac{1}{2}$ " - Lineal & Curved

 	Note: Used with PF1008 & PF1016 glass stop. Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF1108	



Grille Surround - $\frac{5}{8}$ " - Lineal & Curved

 	Note: Used with PF1755 glass stop. Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF1756	


Grille Surround - $\frac{15}{16}$ " - Lineal & Curved

 	Note: Used with PF1483 glass stop. Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF1871	


Grille Surround - $1 \frac{3}{16}$ " - Lineal & Curved

 	Note: Used with PF1011 glass stop. Available in pine, oak, mahogany, maple, cherry, Douglas fir, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF1230	

Surround Clip

		AAP Order No.	AW Order No.
		1364	

End Clip - Grilles *(September 2007 to Present)*

		Color	AAP Order No.	AW Order No.
		White	105444	
		Terratone™	105445	
		Sandtone	105446	9050872
		Forest Green	105447	

Single and Double Doors

Trim Set Illustration - Active

Use this active trim set with the GU active lock system. This trim set has the deadbolt above the handle. Left-handed trim set shown below. Available from July 2007 to present with design change March 2012.

1. Handle - Interior
 2. Handle - Exterior
 3. Escutcheon Plate - Interior
 4. Escutcheon Plate - Exterior
 5. Foam Gasket
 6. Escutcheon Mounting Screws
 7. Hex Nut
 8. Hex Washer
 9. Hex Bolt
 10. Spindle
 11. Hex Wrench
 12. Escutcheon Mounting Screws
 13. Snap Ring
 14. Plastic Washers
 15. Key
 16. Lock Cylinder
 17. Lock Bolt
 18. Lock Bolt Washer

1. Handle - Interior
2. Handle - Exterior
3. Escutcheon Plate - Interior
4. Escutcheon Plate - Exterior
5. Foam Gasket
6. Thumb Latch
7. Exterior Keyed Lock
Cylinder Housing
8. Exterior Keyed Lock
Cylinder
9. Exterior Keyed Lock
Cylinder Plate
10. Spindle
11. Hex Wrench
12. Escutcheon Mounting
Screws
13. Snap Ring
14. Plastic Washer
15. Keys
16. Exterior Keyed Lock
Cylinder Plate Bolts
17. Handle Set Screw
18. Rubber O Ring

Andersen® Clad Outswing Entry Doors (2001 to Present) - 31


Hardware

Trim Set Illustration - Semi Active

Note:

Use this semi-active trim set with the GU passive lock system. This trim set has the deadbolt above the handle. Left-handed trim set shown below. Available from July 2007 to present with design change March 2012.

Components shown are not available individually - they must be ordered as part of the complete trim set.



- | | |
|--------------------------------|--------------------------------|
| 1. Handle - Interior | 8. Rubber O Ring |
| 2. Handle - Exterior | 9. Handle Set Screw |
| 3. Escutcheon Plate - Interior | 10. Spindle |
| 4. Escutcheon Plate - Exterior | 11. Hex Wrench |
| 5. Foam Gasket | 12. Escutcheon Mounting Screws |
| 6. Thumb Latch | 13. Snap Ring |
| 7. Latch Tail Piece | 14. Plastic Washer |


Clad Outswing Entry Doors - Semi-Active Trim Set

Trim Set Illustration - Dummy

Note:

Use this dummy trim set with the GU lock system on stationary doors and passive doors with flush bolts. This trim set has the deadbolt above the handle. Left-handed trim set shown below. Available from July 2007 to present with design change March 2012.

Components shown are not available individually - they must be ordered as part of the complete trim set.



Clad Outswing Entry Doors - Dummy Trim Set

Hardware

Trim Set

Note:

Used with GU lock system. (July 2007 to Present - design change March 2012)

Active Trim Sets *(July 2007 to Present)*

		Left		Right	
	Finish	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	114441		114444	
	Polished Brass	114439		114442	
	Oil Rubbed Bronze	114440		114443	

Semi-Active Trim Sets *(July 2007 to Present)*

		Left		Right	
	Finish	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	114435		114438	
	Polished Brass	114433		114436	
	Oil Rubbed Bronze	114434		114437	

Dummy Trim Sets *(July 2007 to Present)*


		Left		Right	
	Finish	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	114429		114432	
	Polished Brass	114427		114430	
	Oil Rubbed Bronze	114428		114431	

Trim Set Illustrations - European / Active

Note:

Use this active trim set with the Old GU active lock system (October 2001 to June 2007). The European configuration has the deadbolt below the handle. Left-handed trim set shown below.

Components shown are not available individually - they must be ordered as part of the complete trim set.



Clad Outswing Entry Doors - European Active Trim Set


Hardware

Trim Set Illustration - European / Semi Active

Note:

Use this semi-active trim set with the Old GU passive lock system (October 2001 to June 2007). The European configuration has the deadbolt below the handle. Left-handed trim set shown below.

Components shown are not available individually - they must be ordered as part of the complete trim set.



- | | |
|--------------------------------|--------------------------------|
| 1. Handle - Interior | 8. Rubber O Ring |
| 2. Handle - Exterior | 9. Handle Set Screw |
| 3. Escutcheon Plate - Interior | 10. Spindle |
| 4. Escutcheon Plate - Exterior | 11. Hex Wrench |
| 5. Foam Gasket | 12. Escutcheon Mounting Screws |
| 6. Thumb Latch | 13. Snap Ring |
| 7. Latch Tail Piece | 14. Plastic Washer |


Clad Outswing Entry Doors - European Semi-Active Trim Set

Trim Set Illustration - European / Dummy

Note:

Use this dummy trim set with the Old GU lock system (October 2001 to June 2007) on stationary doors and passive doors with flush bolts. The European configuration has the deadbolt below the handle. Left-handed trim set shown below.

Components shown are not available individually - they must be ordered as part of the complete trim set.



- | | |
|--------------------------------|--------------------------------|
| 1. Handle - Interior | 8. Spindle Plate Screw |
| 2. Handle - Exterior | 9. Rubber O Ring |
| 3. Escutcheon Plate - Interior | 10. Spindle |
| 4. Escutcheon Plate - Exterior | 11. Hex Wrench |
| 5. Foam Gasket | 12. Escutcheon Mounting Screws |
| 6. Spindle Plate | 13. Snap Ring |
| 7. Handle Set Screw | 14. Plastic Washer |

Clad Outswing Entry Doors - European Dummy Trim Set

Hardware

Trim Sets - European

Note:

Used with old GU lock system. (from October 2001 to June 2007)

Trim Set - European / Active (October 2001 to June 2007)

	Finish	Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	105487		105488	
	Polished Chrome	105145		105146	
	Polished Brass	103603		103609	
	Antique Brass	103604		103610	
	Oil Rubbed Bronze	105072		105073	
	Dark Bronze	103605		103611	
	Pewter	103606		103612	
	White	103607		103613	

Trim Set - European / Semi-Active (October 2001 to June 2007)

	Finish	Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	105491		105492	
	Polished Chrome	105149		105150	
	Polished Brass	104921		104927	
	Antique Brass	104922		104928	
	Oil Rubbed Bronze	105076		105077	
	Dark Bronze	104923		104929	
	Pewter	104924		104930	
	White	104925		104931	

Trim Set - European / Dummy (October 2001 to June 2007)

	Finish	Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Satin Chrome	105489		105490	
	Polished Chrome	105147		105148	
	Polished Brass	103615		103621	
	Antique Brass	103616		103622	
	Oil Rubbed Bronze	105074		105075	
	Dark Bronze	103617		103623	
	Pewter	103618		103624	
	White	103619		103625	

Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors

Hardware

Shared Trim Set Parts


Exterior Keyed Lock Cylinder - Active *Ref. No. 8 [page 31](#) & [35](#)*

	Note: Use on active trim sets only.	AAP Order No.	AW Order No.
		103561	9050732




Tail Piece Extension - Lock Cylinder / 2 1/4" Door Panel

	Note: For 2 1/4" door panels with active trim sets.	AAP Order No.	AW Order No.
		103645	9050733





Bolt - Escutcheon Mounting / 65mm / 2 1/4" Door Panels *Ref. No. 12 [page 31](#), [32](#), [33](#), [35](#), [36](#) & [37](#)*


	Note: Use for 2 1/4" door panels. Each trim set requires 2 screws.	Finish	AAP Order No.	AW Order No.
		Satin Chrome	105495	9050755
		Oil Rubbed Bronze	105080	9050750




Hardware

Spindle - 8mm x 110mm / 1 3/4" Door Panels Ref. No. 10 page 31 , 32 , 33 , 35 , 36 & 37			
	Note: Use for 1 3/4" door panels.	AAP Order No.	AW Order No.
		103562	9050875

Spindle - 8mm x 120mm / 2 1/4" Door Panels Ref. No. 10 page 31 , 32 , 33 , 35 , 36 & 37			
	Note: Use for 2 1/4" door panels.	AAP Order No.	AW Order No.
		103646	9050734

Latch Tail Piece - Semi-Active Ref. No. 7 page 32 & 36			
	Note: Use on semi-active trim sets only.	AAP Order No.	AW Order No.
		103644	

Spindle Plate Kit - Dummy Ref. No. 6 page 33 & 37			
	Note: Use on dummy trim sets only.	AAP Order No.	AW Order No.
		106060	

Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors


Hardware

Trim Set Parts - AW / 2 ¼" Door Panel


Note:

These parts are used to adjust AW trim sets for application on a 2 ¼" thick door panel. Parts are compatible with Newbury®, Covington®, Yuma®, Whitmore®, Encino®, Anvers®, Albany, and Tribeca® trim sets. AW trim sets available from your Andersen® supplier.


Bolt - Escutcheon Mounting / 65mm / 2 ¼" Door Panels

	Note: #8-32 UNC x 65mm. For installing active, passive and dummy AW trim sets onto 2 ¼" door panels.	Finish	AAP Order No.	AW Order No.
		Antique Brass	113729	9050881
		Bright Brass	113730	9050882
		Brushed Chrome	113731	9050883
		Distressed Bronze	113732	9050884
		Distressed Nickel	113733	9050885
		Oil Rubbed Bronze	113734	9050886
		Polished Chrome	113735	9050887
		Satin Nickel	113736	9050888
		White	113772	9050889
		Stone	113773	9050890
		Gold Dust	113774	9050891
		Black	113775	9050892


Spindle - 8mm x 4 ¼" / 2 ¼" Door Panels

	Note: For installing active, passive and dummy AW trim sets onto 2 ¼" door panels.	AAP Order No.	AW Order No.
		113737	9050893


Spindle - 8mm x 5 ¼" / 2 ¼" Door Panels

	Note: For installing active, passive and dummy AW trim sets with 1 handle extender onto 2 ¼" door panels.	AAP Order No.	AW Order No.
		113738	9050894

Spindle - 8mm x 6 ¼" / 2 ¼" Door Panels

	Note: For installing active, passive and dummy AW trim sets with 2 handle extenders onto 2 ¼" door panels.	AAP Order No.	AW Order No.
		113739	9050895

Lock Actuator - 2 ¼" Door Panel

	Note: For installing active AW trim sets onto 2 ¼" door panels.	AAP Order No.	AW Order No.
		113726	9050896

Hardware

Lock Assembly - AW

Lock Assembly - AW / Active (July 2007 to Present)



Single Point Active Lock



Multi-Point Active Lock



Multi-Point Active Lock / Extendable



Lock Extension

Clad Outswing Entry Doors - AW Active Lock Assembly

Height Range - Door Panel / AW / Active

Lock Configuration	Single Rectangular & All Double Doors	Single Arch Top (Leg Height)	Single Springline™ (Leg Height)
Single Lock	82" EFS Maximum	82" EFS Maximum	82" EFS Maximum
6' - 8" Multi-Point	76 1/8" - 89 27/32"	73 3/4" - 87 15/32"	72 1/8" - 85 27/32"
8' Multi-Point	89 7/8" - 98"	87 1/2" - 95 1/2"	85 7/8" - 95 1/2"
Extended Multi-Point	98 1/32" - 119 1/2"	95 17/32" - 119"	95 17/32" - 101 1/32"

Note: Trim sets for this hardware can be purchased from your Andersen® supplier.

Lock Mechanism - AW / Active / Single Point (July 2007 to Present)

	Orientation	AAP Order No.	AW Order No.
	Left	109882	9050793
	Right	109883	9050794

Lock Mechanism - AW / Active / Multi-Point (Mar 2012 to Present)

Note:	Size	AAP Order No.	AW Order No.
AW multi-point active locks are not handed.	6' - 8"	114377	
	8'	114378	

Lock Mechanism - AW / Active / Multi-Point / Extended (Nov 2017 to Present)

Note:	Part	AAP Order No.	AW Order No.
AW multi-point active locks are not handed. Extensions are handed and require the original order info to be supplied.	Lock	113583	
	Extension - Left	113585	
	Extension - Right	113586	

Lock Mechanism - AW / Active / Multi-Point (July 2007 to Mar 2012)

Note:	Size	AAP Order No.	AW Order No.
AW multi-point active locks are not handed.	6' - 8"	109832	9050789
	8'	112555	9050815

Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors

Hardware

Lock Assembly - AW / Passive (July 2007 to Present)

Note:

AW passive locks are not handed. Trim sets for this hardware can be purchased from your Andersen® supplier.



Clad Outswing Entry Doors - AW Passive Lock Assembly

Lock Mechanism - AW / Passive (July 2007 to Present)

	AAP Order No.	AW Order No.
	112542	9050808

Latch Bolt Receiver Assembly - AW / Passive (March 2012 to Present)

Note:

Includes latch bolt receiver and latch block.

	AAP Order No.	AW Order No.
	112543	9050809

Latch Bolt Receiver Assembly - Modified / AW / Passive (July 2007 to March 2012)

Note:

Includes modified latch bolt receiver and latch block.

	AAP Order No.	AW Order No.
	112705	9050824


Shoot Bolt Ends - AW / Passive (November 2011 to Present)

	AAP Order No.	AW Order No.
	114101	

Threaded Rod Extension - 1/4" - 20 UNC / Stainless Steel (November 2011 to Present)

	AAP Order No.	AW Order No.
	PF2566	


Shoot Bolt Ends - AW / Passive (July 2007 to November 2011)

		AAP Order No.	AW Order No.
			


Hardware

Lock Parts - AW


Strike Plate - AW / Active / Single / Central / Stainless Steel *(July 2007 to Present)*

	Note: Use with the active lock system on single doors.	AAP Order No.	AW Order No.
		113413	


Strike Plate - AW / Active / Double / Central / Stainless Steel *(July 2007 to Present)*

	Note: Use with the active lock system on double doors.	AAP Order No.	AW Order No.
		109854	9050791


Strike Plate - AW / Active / Multi-Point / Hook Bolt / Stainless Steel *(July 2007 to Present)*

	Note: Use with multi-point locks.	AAP Order No.	AW Order No.
		113438	9050898


Dust Cup - AW / Active / Hook Bolt *(July 2007 to Present)*

	Note: Use behind hook bolt strike plates.	AAP Order No.	AW Order No.
		113437	9050899

Eyelet - AW / Passive *(July 2007 to Present)*

	Note: Use with passive lock assembly.	AAP Order No.	AW Order No.
		2228	

Shoot Bolt Cup - AW / Passive *(July 2007 to November 2010)*

	Note: Use with the passive lock assembly.	AAP Order No.	AW Order No.
		112470	9050807

Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors

Lock Assembly - GU

Lock Assembly - GU / Active (August 2015 - Present)

Note:

GU active locks are not handed.



Clad Outswing Entry Doors - GU Active Lock Assembly

Height Range - Door Panel / GU / Active

Lock Configuration	Single Rectangular & All Double Doors	Single Arch Top (Leg Height)	Single Springline™ (Leg Height)
6' - 8" Lock Mechanism	79" - 91 ⁷ / ₃₂ "	77 ³ / ₃₂ " - 89 ³ / ₃₂ "	75" - 86 ³¹ / ₃₂ "
8' Lock Mechanism	91 ¹ / ₄ " - 99 ¹ / ₂ "	89 ¹ / ₈ " - 98 ³ / ₃₂ "	87" - 95 ¹⁵ / ₃₂ "
6' - 8" Lock with Locking Extension	99 ¹⁷ / ₃₂ " - 109 ³ / ₁₆ "	98 ¹ / ₈ " - 108 ³ / ₃₂ "	95 ¹ / ₂ " - 105"
8' Lock with Locking Extension	109 ⁷ / ₃₂ " - 119 ¹ / ₄ "	108 ¹ / ₈ " - 119 ¹ / ₄ "	N/A

Lock Mechanism - GU / Active / Multi-Point (August 2015 - Present)

	Size	AAP Order No.	AW Order No.
	6' - 8"	115282	
	8'	115283	

Extension - GU / Active / Locking (August 2015 - Present)


	AAP Order No.	AW Order No.
	115333	

Lock Assembly - GU

Lock Assembly - GU / Active (July 2007 to August 2015)

Note:

GU active locks are not handed.



Clad Outswing Entry Doors - GU Active Lock Assembly

Height Range - Door Panel / GU / Active

Lock Configuration	Single Rectangular & All Double Doors	Single Arch Top (Leg Height)	Single Springline™ (Leg Height)
6' - 8" Lock Mechanism	79" - 89 17/32"	76 5/8" - 87 5/32"	75 1/16" - 85 19/32"
6' - 8" Lock with Locking Extension	89 9/16" - 92 29/32"	87 3/16" - 89 27/32"	85 5/8" - 88 9/32"
8' Lock Mechanism	92 15/16" - 99 5/16"	89 7/8" - 96 29/32"	88 5/16" - 95 11/32"
6' - 8" Lock with Short & Locking Extension	99 11/32" - 109 5/32"	96 15/16" - 106 3/4"	95 3/8" - 105 5/32"
6' - 8" Lock with Long & Locking Extension	109 3/16" - 118 31/32"	106 25/32" - 116 9/16"	105 3/16" - 144 31/32"
6' - 8" Lock with Short, Long & Locking Exten.	119" - 129"	116 19/32" - 126"	115" - 130"

Central Lock Box Mechanism - GU / Active / Multi-Point (July 2007 to August 2015)

	Size	AAP Order No.	AW Order No.
	Universal	115690	

Extension - GU / Active / Locking (July 2007 to August 2015)

	AAP Order No.	AW Order No.
	107378	9050785

Extension - GU / Active / Short (July 2007 to August 2015)

Length = 250mm	AAP Order No.	AW Order No.
	107377	9050784

Extension - GU / Active / Long (July 2007 to August 2015)

Length = 500mm	AAP Order No.	AW Order No.
	107376	9050783


Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors

Lock Assembly - GU / Passive (July 2007 to Present)

Note:

GU passive locks are not handed.



Clad Outswing Entry Doors - GU Passive Lock Assembly

Height Range - Door Panel / GU / Passive

Lock Configuration	E.F.S. Height Range
Lock Mechanism with Shoot Bolts	79 1/2" - 85 21/32"
Lock Mechanism with Shoot Bolts & Short Extension	85 11/16" - 95 1/2"
Lock Mechanism with Shoot Bolts & Long Extension	95 17/32" - 105 11/32"
Lock Mechanism with Shoot Bolts & Short & Long Extension	105 3/8" - 115 5/32"
Lock Mechanism with Shoot Bolts & (2) Long Extensions	115 3/16" - 125 1/32"

Lock Mechanism - GU / Passive (July 2007 to Present)

	AAP Order No.	AW Order No.
	107379	

Shoot Bolt - GU / Passive (July 2007 to Present)

	Orientation	AAP Order No.	AW Order No.
	Top	105169	9050752
	Bottom	105170	9050753

Extension - GU / Passive / Short (July 2007 to Present)


Length = 250mm	AAP Order No.	AW Order No.
	107377	

Extension - GU / Passive / Long (July 2007 to Present)


Length = 500mm	AAP Order No.	AW Order No.
	107376	

Lock Parts - GU


Strike Plate - GU / Active / Central / Short Lip / Stainless Steel (July 2007 to Present)

	Note: Used with active lock system on single doors with no interior jamb extension and double doors.	AAP Order No.	AW Order No.
		109813	9050787


Strike Plate - GU / Active / Central / Medium Lip / Stainless Steel (July 2007 to Present)

	Note: Used with active lock system on single doors with 5/8" interior jamb extension.	AAP Order No.	AW Order No.
		109814	9050788


Strike Plate - GU / Active / Central / Extended Lip / Stainless Steel (July 2007 to Present)

	Note: Used with active lock system on single doors with 5/8" interior jamb extension.	AAP Order No.	AW Order No.
		109860	9050792


Strike Plate - GU / Active / Hook Bolt / Stainless Steel (July 2007 to Present)

	Note: Used with active lock system.	AAP Order No.	AW Order No.
		113438	9050898

Dust Cup - GU / Active / Hook Bolt (July 2007 to Present)

	Note: Used behind hook bolt strike plates.	AAP Order No.	AW Order No.
		113437	9050899

Shoot Bolt Cup - GU / Passive (July 2007 to November 2010)

	Note: Used with passive lock assembly.	AAP Order No.	AW Order No.
		112470	9050807

Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors

Lock Assembly - Old GU

Lock Assembly - Old GU / Active (May 2004 - June 2007)

Note:

This is a conversion lock to replace this lock vintage (frame/astragal modification is necessary - Service Guide #115851)



Clad Outswing Entry Doors - Old GU Active Lock Assembly

Replacement Lock Kits (includes lock mech, tailpiece and strikeplate)

Door Configuration	AAP Order No.	AW Order No.
All Double Doors (Inswing & Outswing)	115852	
Inswing Single Doors mulled to Sidelight (on lock side)	115853	
Inswing Single Doors with no interior extension jamb	115853	
Inswing Single Doors with interior extension jamb less than 3/8"	115854	
Inswing Single Doors with interior extension jamb between 3/8" & 5/8"	115852	
Outswing Left Hinged Single Doors	115855	
Outswing Right Hinged Single Doors	115856	


Hardware

Lock Assembly - Old GU

Lock Assembly - Old GU / Active *(October 2001 to May 2004)*

Note:

Old GU active locks are not handed.



Clad Outswing Entry Doors - Old GU Active Lock Assembly

Lock Mechanism - Old GU / Active / Multi-Point *(October 2001 to June 2007)*

	AAP Order No.	AW Order No.

Extension - Old GU / Active / Locking *(October 2001 to June 2007)*

Length = 750mm	AAP Order No.	AW Order No.

Extension - Old GU / Active / Long *(October 2001 to June 2007)*

Length = 500mm	AAP Order No.	AW Order No.

Extension - GU / Active / Short *(October 2001 to June 2007)*

Length = 250mm	AAP Order No.	AW Order No.

Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors

Hardware

Lock Assembly - Old GU / Passive (October 2001 to June 2007)

Note:

Old GU passive locks are not handed.



Clad Outswing Entry Doors - Old GU Passive Lock Assembly

Lock Mechanism - Old GU / Passive (October 2001 to June 2007)

	AAP Order No.	AW Order No.

Shoot Bolt - Old GU / Passive (October 2001 to June 2007)

	Orientation	AAP Order No.	AW Order No.
	Bottom		
	Top		

Extension - Old GU / Passive / Short (October 2001 to June 2007)

Length = 250mm	AAP Order No.	AW Order No.


Extension - Old GU / Passive / Long (October 2001 to June 2007)

Length = 500mm	AAP Order No.	AW Order No.


Hardware

Lock Parts - Old GU


Strike Plate - Old GU / Central / Short Lip / Stainless Steel *(October 2001 to June 2007)*

	Note: This plate is not handed. Use on double doors.	AAP Order No.	AW Order No.


Strike Plate - Old GU / Central / Long Lip / Stainless Steel *(October 2001 to June 2007)*

	Note: Right hand plate shown. Used on single doors.	Orientation	AAP Order No.	AW Order No.
		Left		
		Right		

Strike Plate - Old GU / Active / Hook Bolt / Stainless Steel *(October 2001 to June 2007)*

	Note: This plate is not handed.	AAP Order No.	AW Order No.

Shoot Bolt Cup - Old GU / Passive *(October 2001 to June 2007)*

	Note: Use this cup on passive lock assembly.	AAP Order No.	AW Order No.


Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors

Hardware

Flush Bolts

Flush Bolt (November 2011 to Present)




	AAP Order No.	AW Order No.
	114104	


Trim Cover - Flush Bolt (November 2011 to Present)

	Finish	AAP Order No.	AW Order No.
	Brushed Chrome	114105	

Flush Bolt Rod - 1/4"- 20 UNC / Stainless Steel (November 2011 to Present)

	AAP Order No.	AW Order No.
	PF2566	

Shoot Bolt End (November 2011 to Present)


	AAP Order No.	AW Order No.
	114101	

Hardware

Flush Bolt *(Prior to November 2011)*

Note:


This shoot bolt end was discontinued December 2010.
Available upon request.


Note:

Flush bolt supplied with shoot bolt end.


Finish	AAP Order No.	AW Order No.
Satin Chrome	2132	
White	103808	9050735
Dark Bronze	103809	9050736

Brass Eyelet *(Prior to November 2011)*



AAP Order No.	AW Order No.
2228	

Flush Bolt Rod - $\frac{5}{16}$ " *(Prior to November 2011)*



AAP Order No.	AW Order No.

Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors

Hardware


Hinges

Hinges - 4 1/2" / Ball Bearing (March 2011 to Present)

Note:


Hinges are non-handed. All hinges have non-removable pins (NRP).

Non-Removable Pin (NRP)
Set Screw



	Finish	AAP Order No.	AW Order No.
	White	113159	
	Oil Rubbed Bronze	113160	
	Satin Nickel	113161	

Hinge Shims - 4 1/2" / Polypropylene (July 2012 to Present)



Note:

Thickness = .040"

AAP Order No.

114499

AW Order No.


Hardware

Hinge - 4 ½" Ball Bearing / Non-Removable Pin (September 2008 to March 2011)

Note:


Hinges are non-handed. All hinges have non-removable pins (NRP).

Non-Removable Pin (NRP)
Set Screw



	Finish	AAP Order No.	AW Order No.
	White	112890	9050828
	Polished Brass	112891	9050829
	Oil Rubbed Bronze	112892	9050830
	Brushed Chrome	112896	9050831
Note: Installed on product from September 2008 to December 2010. Available for replacement upon request.	Stainless Steel	112893	
	Antique Brass	112894	
	Pewter	112895	
	Bright Chrome	112897	
	Black	112898	

Hinge Shims - 4 ½" / Polypropylene (July 2012 to Present)

	Note: Thickness = .040"	AAP Order No.	AW Order No.
		114499	

Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors

Hardware

Hinge - 4 ½" Ball Bearing / Non-Removable Pin (July 2003 to August 2008)

Note:

Left hand hinge shown.



Clad Outswing Entry Doors - 4 ½" Ball Bearing Hinge


Hinge - 4 ½" Ball Bearing / Non-Removable Pin (July 2003 to August 2008)

	Finish	Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Stainless Steel	104469		104470	
	Dark Bronze	104471		104472	
	White	105035		105036	

Hinge - 4 ½" Ball Bearing / Removable Pin (July 2003 to August 2008)

	Finish	Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
	Polished Brass	104467		104468	


Hinge - 4 ½" Plain Bearing / Non-Removable Pin / Zinc Dichromate (July 2003 to March 2007)

		Left		Right	
		AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
		104475		104476	


Hardware

Screws - Hinge


Mounting Screw - Door Panel

	Description	Finish	AAP Order No.	AW Order No.
	#10 - 12 × 1 3/4" FH	Black	113231	9050913
		White	113232	9050914
		Polished Brass	113234	
		Stainless Steel	113371	9050915


Anchor Screw - Jamb

	Description	Finish	AAP Order No.	AW Order No.
	#10 - 12 × 3 " FH	Stainless Steel	472	9050918
		Black	113239	9050916
		White	113240	9050917
		Polished Brass	113242	


Machine Screw - Jamb

	Description	Finish	AAP Order No.	AW Order No.
	#10 - 24 UNC × 3/4" FH	Black	113247	
		White	113248	
		Polished Brass	113250	
		Stainless Steel	113374	

Tee Nut - Machine Screw / Jamb

	Description	Finish	AAP Order No.	AW Order No.
	#10 - 24 UNC × 5/16" - 3/4" Dia.	Stainless Steel	107357	

Frame Assembly - Active & Passive / 1 3/4" Door Panel




- 1. Jamb Member
- 2. Curved Head Jamb
- 3. [Contain & Drain Sill](#)
- 4. [Sill Cap](#)
- 5. [Vinyl Insert](#)
- 6. [Sill Weatherseal](#)
- 7. [Frame Weatherseal](#)
- 8. [Installation Flange](#)
- 9. [Flexible Installation Flange](#)
- 10. [Interior Trim](#)
- 11. Weatherseal Adaptor
- 12. Curved Weatherseal Adaptor

Clad Outswing Entry Doors - Active and Passive Frame Assembly / 1 3/4" Door Panels

Frames


Frame Assembly - Active & Passive / 2 ¼" Door Panel



- 1. Jamb Member
- 2. Curved Head Jamb
- [3. Contain & Drain Sill](#)
- [4. Sill Cap](#)
- [5. Vinyl Insert](#)
- [6. Sill Weatherseal](#)
- [7. Frame Weatherseal](#)
- [8. Installation Flange](#)
- [9. Flexible Installation Flange](#)
- [10. Interior Trim](#)
- 11. Weatherseal Adaptor
- 12. Curved Weatherseal Adaptor

Clad Outswing Entry Doors - Active and Passive Frame Assembly / 2 ¼" Door Panels

Frame Assembly - Stationary / 1 3/4" Door Panel



- 1. Jamb Member
- 2. Curved Head Jamb
- [3. Contain & Drain Sill](#)
- [4. Sill Cap](#)
- [5. Vinyl Insert](#)
- [6. Retaining Clip](#)
- [7. Sill Trim Stop](#)
- [8. Installation Flange](#)
- [9. Flexible Installation Flange](#)
- [10. Interior Trim](#)
- 11. Weatherseal Adaptor
- 12. Curved Weatherseal Adaptor




Clad Outswing Entry Doors - Stationary Frame Assembly / 1 3/4" Door Panels

Frames

Sills

Note:

For 4 $\frac{9}{16}$ " wall thickness. Sills come in gray and bronze.



Clad Outswing Entry Doors - Sills


Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors


Frames

Sill Parts


End Cap - Sill / Vinyl

	Panel	Color	Orientation	AAP Order No.	AW Order No.
	1 3/4"	Gray	Left	113989	
			Right	113990	
		Black	Left	113991	
			Right	113992	
	2 1/4"	Gray	Left	113993	
			Right	113994	
		Black	Left	113995	
			Right	113996	


Cover - Weep Hole

			Color	AAP Order No.	AW Order No.
			Gray	113176	9050909
			Black	113259	9050910


Drain Cover - Sill / Modified

			Color	AAP Order No.	AW Order No.
			Gray	113513	
			Black	113514	

Flush Bolt Cup - Flush Bolt / Sill


			Color	AAP Order No.	AW Order No.
			Gray	113032	
			Black	113360	

Fin Seal - Low Profile Sill


			AAP Order No.	AW Order No.
			PF2350	

Frames


Sill Insert - Vinyl / 1 3/4" Door Panel

	Note: Available in gray or bronze.	AAP Order No.	AW Order No.
		PF2265	


Sill Insert - Vinyl / 2 1/4" Door Panel

	Note: Available in gray or bronze.	AAP Order No.	AW Order No.
		PF2266	


Weatherseal - Sill *Ref. No. 6 [page 57](#) and [58](#)*

	Note: Available in brown and gray.	AAP Order No.	AW Order No.
		PF2156	

Gasket - Sill / Internal / 1 3/4" Door Panel / Non-Handed

	Note: Modify for 2 1/4" door panels.	Color	AAP Order No.	AW Order No.
		Gray	113985	
		Black	113987	


Gasket - Sill / External / 1 3/4" Door Panel / Non-Handed


	Note: Modify for 2 1/4" door panels.	Color	AAP Order No.	AW Order No.
		Gray	113986	
		Black	113988	


Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors


Frames

Sill Cap - 1 3/4" Door Panel / Wood Ref. No. 4 page 57 & 59			
	Note: Available in oak or mahogany.	AAP Order No.	AW Order No.
		PF2262	

Sill Cap - 2 1/4" Door Panel / Wood Ref. No. 4 page 58			
	Note: Available in oak or mahogany.	AAP Order No.	AW Order No.
		PF2263	

Interior Trim - Sill / Wood Ref. No. 10 page 57 , 58 & 59			
	Note: Available in oak or mahogany.	AAP Order No.	AW Order No.
		PF1295	


Trim Stop - Sill / Stationary Door / Wood Ref. No. 7 page 59			
	Note: Available in oak or mahogany.	AAP Order No.	AW Order No.
		PF2171	

Clip - Retaining / Panel / Stationary Door Ref. No. 6 page 59			
		AAP Order No.	AW Order No.
		107124	



Frames

Extension Jambs

Note:
Outswing doors should be extended to the interior. Custom extension jambs are available to accommodate thicker walls. Sills are not extended.



Clad Outswing Entry Doors - Interior Extension Jambs

Jamb Extension - 2" / Lineal and Curved			
 	<p>Note: Used for 6 9/16" wall thickness. Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.</p>	AAP Order No.	AW Order No.
		PF1237	

Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors


Frames

Frame Parts


Weatherseal - Frame Ref. No. 7 [page 57](#) and [58](#)

		Color	Length	AAP Order No.	AW Order No.
		White	96"	114641	
			144"	114588	
		Bronze	96"	114640	
			144"	114587	


Dust Plug - Frame / 1" x 2"

	Note: Available in gray.	AAP Order No.	AW Order No.
		106037	

Corner Pad - Frame / 2" / Contoured

		Color	AAP Order No.	AW Order No.
		White	106297	9050767
		Bronze	106299	9050769

Brickmould - Lineal & Curved / Aluminum

	Note: Available in 21 standard and any custom color.	AAP Order No.	AW Order No.
		PF2088	




Joining Components

Mullion Covers - Interior


Mullion Covers - Interior / Horizontal & Vertical / Lineal & Curved / Wood

Note:


Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white. Vertical mullion covers are 1/4" thick and horizontal mullion covers are 3/8" thick. Lineal and curved have same order number. WMC38 shown below.

	Orientation	Mullion Width	AAP Order No.	AW Order No.
	Vertical (1/4" Thick)	Direct	WMC14	
		1/2"	PF2037	
		3/4"	PF2049	
		1"	PF2033	
		2"	PF2034	
		3 1/2"	PF2306	
	Horizontal (3/8" Thick)	Direct	WMC38	
		1/2"	PF1663	
		3/4"	PF2048	
		1"	PF2011	
		2"	PF2012	
		3 1/2"	NA	

Mullion Cover - Interior / 3/8" Mullion / Vertical / Lineal & Curved / Wood *(Prior to December 2010)*

	Note: Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF2037	

Mullion Cover - Interior / 3/8" Mullion / Horizontal / Lineal & Curved / Wood *(Prior to December 2010)*

	Note: Available in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.	AAP Order No.	AW Order No.
		PF1974	

Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors

Joining Components

Mullion Covers - Exterior

Note:


All exterior mullion covers available in 21 standard and any custom color.


Mullion Cover - Exterior / Direct Mullion / Aluminum			
		AAP Order No.	AW Order No.
		PF2071	


Mullion Cover - Exterior / 1/2" Mullion / Aluminum			
		AAP Order No.	AW Order No.
		PF2074	

Mullion Cover - Exterior / 3/4" Mullion / Aluminum			
		AAP Order No.	AW Order No.
		PF2075	

Mullion Cover - Exterior / 1" Mullion / Aluminum			
		AAP Order No.	AW Order No.
		PF2441	

Mullion Cover - Exterior / 2" Mullion / Aluminum			
		AAP Order No.	AW Order No.
		PF2076	

Mullion Cover - Exterior / 3 1/2" Mullion / Aluminum			
		AAP Order No.	AW Order No.
		PF2077	

Mullion Cover - Exterior / 3/8" Mullion / Aluminum (Prior to November 2010)			
		AAP Order No.	AW Order No.
		PF1069	

Interior Casing

Casing Profiles

Note:

Interior casings are available in both lineal & curved and in pine, oak, mahogany, Douglas fir, cherry, maple, alder, and prefinished white.

Interior Casing - Lineal and Curved / Wood / 2 ¼"



WM-356




WM-376



WM-366

2 ¼" Colonial



WM-324

2 ¼" Ranch

Interior Casing - Lineal and Curved / Wood / 2 ½"



WM-315

2 ½" Ranch



WM-351

2 ½" Colonial

Interior Casing - Lineal and Curved / Wood / 2 ¾"



LN-366



PF1047

Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors

Interior Casing


Interior Casing - Lineal and Curved / Wood / 3 ¼"



Interior Casing - Lineal and Curved / Wood / 3 ½"



3 ½" Colonial






Interior Casing

Casing Parts


Corner Block



	3" × 3"		3 ⁵ / ₈ " × 3 ⁵ / ₈ "		4" × 4"	
Species	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
Pine	105		111		981	
Oak	113		534		982	
Mahogany	103706		103708		103710	
Maple	104224		104225		104226	

	4 ⁵ / ₈ " × 4 ⁵ / ₈ "					
Species	AAP Order No.	AW Order No.				
Pine	1304					
Oak	1305					
Mahogany	103712					
Maple	104227					

Keystone




	2 ⁷ / ₈ " × 2 ⁷ / ₈ "		3 ³ / ₄ " × 3 ³ / ₄ "		4 ¹ / ₂ " × 4 ¹ / ₂ "	
Species	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
Pine	2148		642		2152	
Oak	2149		190		2153	
Mahogany	103698		103700		103702	
Maple	104220		104221		104222	

Andersen® Clad Outswing Entry Doors (2001 to Present)

Single and Double Doors


Interior Casing

Plinth Block - Arch



	2 ⁷ / ₈ " × 4"		3 ⁷ / ₈ " × 5 ¹ / ₄ "	
Species	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
Maple	107003	9050776	107005	9050778
Oak	107002	9050775	107004	9050777
Mahogany	109825		109827	
Douglas Fir	109821		109823	
Cherry	109817		109819	

Plinth Block




	2 ⁷ / ₈ " × 2 ⁷ / ₈ "		3 ⁷ / ₈ " × 3 ⁷ / ₈ "	
Species	AAP Order No.	AW Order No.	AAP Order No.	AW Order No.
Maple	106999	9050772	107001	9050774
Oak	106998	9050771	107000	9050773
Mahogany	109824		109826	
Douglas Fir	109820		109822	
Cherry	109816		109818	




Installation Components

Installation Parts


Anchor Screw - Jamb

	Description	Finish	AAP Order No.	AW Order No.
	#10 - 12 × 3" FH	Stainless Steel	472	9050918
		Black	113239	9050916
		White	113240	9050917
		Polished Brass	113242	


Installation Clips - 6"

		AAP Order No.	AW Order No.
		112736	9050825


Installation Flange - Lineal *Ref. No. 8 [page 57](#), [58](#) & [59](#)*

		AAP Order No.	AW Order No.
		PF2079	

Installation Flange - Flexible *Ref. No. 9 [page 57](#), [58](#) & [59](#)*

		AAP Order No.	AW Order No.
		PF2080	


Flexible Drip Cap


		Color	AAP Order No.	AW Order No.
		White	103252	
		Beige	103253	


Andersen® Clad Outswing Entry Doors (2001 to Present)


Single and Double Doors

Installation Components

Drip Cap - Aluminum			
		AAP Order No.	AW Order No.
		PF2085	

Clip - Sill / Stainless Steel			
		AAP Order No.	AW Order No.
		113177	

Corner Gasket - Installation Flange			
		AAP Order No.	AW Order No.
		113018	

Straight Gasket - Installation Flange			
		AAP Order No.	AW Order No.
		113203	

Notes

Andersen®


Clad Outswing Entry Doors (2001 to Present)

Service Replacement


Service Replacement Parts

Service Parts


Weatherseal - Long Reach / 97"

		Color	AAP Order No.	AW Order No.
		White	104602	9050748
		Bronze	104604	9050749


Corner Pad - 3/8" x 2"

		Color	AAP Order No.	AW Order No.
		Bronze	106068	


Shoot Bolt Receiver - Adjustable / Passive Lock *(Prior to December 2010)*

	Note: Use with passive lock system. Replaces shoot bolt cup when adjustment is required. Use 5/16" hex wrench to install and adjust.	AAP Order No.	AW Order No.
		112815	9050827

Transition Strike Plate - Flush Bolt *(Prior to December 2010)*

	Note: Use with flush bolts.	AAP Order No.	AW Order No.
		112814	

Touch-Up Paint

	Note: 1/2 fl. oz bottle.	Color	AAP Order No.	AW Order No.
		White	104585	
		Terratone®	104586	
		Sandtone	104587	
		Forest Green	104588	

Notes
