













E-Series


Commercial Door Sidelights

Rough Opening	Unit Dimension	1'-3"	1'-5"	1'-7"	1'-9"
		(381)	(432)	(483)	(533)
7'-2 3/4"	7'-11 3/8"	1'-2 1/2"	1'-4 1/2"	1'-6 1/2"	1'-8 1/2"
(2194)	(2423)	(368)	(419)	(470)	(521)
7'-11 3/8"	7'-10 7/8"				
(2423)	(2410)				
8'-2 3/4"	8'-1 7/8"				
(2499)	(2486)				

Outswing Sidelight (HPO)

			
HPO1273	HPO1473	HPO1673	HPO1873
			
HPO1280	HPO1480	HPO1680	HPO1880
			
HPO1283	HPO1483	HPO1683	HPO1883


Handing Options



Panel Options




































































































Mid-rail location shown

See section details for stile & rail sizes



Notes:

"Unit Dimension" always refers to outside frame to frame dimension.
"Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.


Rough Opening Unit Dimension	1'-3" (381)	1'-5" (432)	1'-7" (483)	1'-9" (533)	2'-1" (635)	2'-7" (787)	2'-9" (838)	3'-1" (940)	3'-3" (991)	4'-0 ⁹ / ₁₆ " (1234)	5'-0 ⁹ / ₁₆ " (1538)
	1'-2 ¹ / ₂ " (368)	1'-4 ¹ / ₂ " (419)	1'-6 ¹ / ₂ " (470)	1'-8 ¹ / ₂ " (521)	2'-0 ¹ / ₂ " (622)	2'-6 ¹ / ₂ " (775)	2'-8 ¹ / ₂ " (826)	3'-0 ¹ / ₂ " (927)	3'-2 ¹ / ₂ " (978)	4'-0 ¹ / ₁₆ " (1221)	5'-0 ¹ / ₁₆ " (1526)
Outswing Hinged Patio Door Sash-Set Transom (HPOST)											
1'-2 ¹ / ₂ "											
1'-4 ¹ / ₂ "											
1'-6 ¹ / ₂ "											
1'-8 ¹ / ₂ "											
2'-0 ¹ / ₂ "											
2'-4 ¹ / ₂ "											
2'-6 ¹ / ₂ "											
2'-8 ¹ / ₂ "											
3'-0 ¹ / ₂ "											

Wider sizes continue on page 03

Wider sizes continue on page 03

Panel Options




























See section details for stile & rail sizes



Notes:

"Unit Dimension" always refers to outside frame to frame dimension.
"Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.


Date: 1/17/17
Scale: 1/8" (3) = 1' (305)

Rough Opening		5'-4 $\frac{9}{16}$ " (1640)	6'-0 $\frac{9}{16}$ " (1843)	6'-4 $\frac{9}{16}$ " (1945)
Unit Dimension		5'-4 $\frac{1}{16}$ " (1627)	6'-0 $\frac{1}{16}$ " (1830)	6'-4 $\frac{1}{16}$ " (1932)
Outswing Hinged Patio Door Sash-Set Transom (HPOST)				
1'-2 $\frac{1}{2}$ " (368)				
1'-4 $\frac{1}{4}$ " (419)				
1'-6 $\frac{1}{4}$ " (470)				
1'-8 $\frac{1}{4}$ " (521)				
2'-0 $\frac{1}{2}$ " (622)				
2'-4 $\frac{1}{4}$ " (724)				
2'-6 $\frac{1}{2}$ " (775)				
2'-8 $\frac{1}{2}$ " (826)				
3'-0 $\frac{1}{2}$ " (927)				

Continuation from page 02

Panel Options

See section details for stile & rail sizes



Notes:

"Unit Dimension" always refers to outside frame to frame dimension.
"Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
Dimensions in parentheses are in millimeters.

Date: 1/17/17
Scale: 1/8" (3) = 1' (305)