

**Table of Frenchwood® Hinged Outswing Patio Door Sizes**

Scale 1/8" (3) = 1'-0" (305) – 1:96

Door Dimension	2'-0 1/8" (612)	3'-11 1/4" (1200)			2'-6 1/8" (764)	2'-6 1/8" (764)	2'-6 1/8" (764)	4'-11 1/4" (1505)
<b>Minimum Rough Opening</b>	2'-1" (634)	4'-0" (1219)			2'-7" (787)	2'-7" (787)	2'-7" (787)	5'-0" (1524)
Unobstructed Glass (single panel only)	12 7/8" (327)	12 7/8" (327)			18 7/8" (479)	18 7/8" (479)	18 7/8" (479)	18 7/8" (479)
3 heights								
<b>1</b> FWHOD 2168S	4068APLR/4068PALR				2768S	2768AR	2768AL	5068APLR/5068PALR
<b>2</b> FWHOD 21611S	40611APLR/40611PALR				27611S	27611AR	27611AL	50611APLR/50611PALR
<b>3</b> FWHOD 2980S	4080APLR/4080PALR				2780S	2780AR	2780AL	5080APLR/5080PALR
Door Dimension	2'-8 1/8" (815)	2'-8 1/8" (815)	2'-8 1/8" (815)	5'-3 1/4" (1607)	3'-0 1/8" (917)	3'-0 1/8" (917)	3'-0 1/8" (917)	5'-11 1/4" (1810)
<b>Minimum Rough Opening</b>	2'-9" (838)	2'-9" (838)	2'-9" (838)	5'-4" (1626)	3'-1" (940)	3'-1" (940)	3'-1" (940)	6'-0" (1829)
Unobstructed Glass (single panel only)	20 7/8" (530)	20 7/8" (530)	20 7/8" (530)	20 7/8" (530)	24 7/8" (632)	24 7/8" (632)	24 7/8" (632)	24 7/8" (632)
3 heights								
<b>1</b> FWHOD 2968S	2968AR	2968AL	5468APLR/5468PALR		3168S	3168AR	3168AL	6068APLR/6068PALR
<b>2</b> FWHOD 29611S	29611AR	29611AL	54611APLR/54611PALR		31611S	31611AR	31611AL	60611APLR/60611PALR
<b>3</b> FWHOD 2980S	2980AR	2980AL	5480APLR/5480PALR		3180S	3180AR	3180AL	6080APLR/6080PALR
Door Dimension	3'-2 1/8" (968)	3'-2 1/8" (968)	3'-2 1/8" (968)	6'-3 1/4" (1911)				
<b>Minimum Rough Opening</b>	3'-3" (991)	3'-3" (991)	3'-3" (991)	6'-4" (1930)				
Unobstructed Glass (single panel only)	26 7/8" (683)	26 7/8" (683)	26 7/8" (683)	26 7/8" (683)				
3 heights								
<b>1</b> FWHOD 3368S	3368AR	3368AL	6468APLR/6468PALR					
<b>2</b> FWHOD 33611S	33611AR	33611AL	64611APLR/64611PALR					
<b>3</b> FWHOD 3380S	3380AR	3380AL	6480APLR/6480PALR					




Custom-size doors are available in 1/8" (3) increments.

Stationary (S) doors can be used as an individual door or as a sidelight.


- "Window Dimension" always refers to outside frame to frame dimension.
- "Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
- Dimensions in parentheses are in millimeters.

**Three Patio Door Heights**




**Identification**


Viewed from the exterior.




**Stationary**  
Non-operating



**Left Hinged**  
Hinges on left side




**Right Hinged**  
Hinges on right side



**Active Panel**   **Passive Panel**  
Operating panel used most often   Operating panel with attached astragal

**Order Designation Description**

Viewed from the exterior.




**FWOD 6068 A P L R**  
A-Series Frenchwood® Hinged Outswing Patio Door   Door Rough Opening   Active Panel   Passive Panel   Left Hinged   Right Hinged



**Custom Sizes & Specifications**



**Frenchwood® Hinged Inswing and Outswing Patio Doors**



Available in 1/8" (3) increments between minimum and maximum widths and heights. Some restrictions apply, contact your Andersen supplier.

Minimum R.O.	Single Panel Inswing & Outswing	Unobstr. Glass	Single Panel Inswing & Outswing
	<p><b>Width</b> = patio door width + 3/4" (19) <b>Height</b> = patio door height + 1/2" (13)</p>		<p><b>Width</b> = patio door width - 11.22" (285) <b>Height</b> = patio door height - 16.06" (408)</p>
	<p><b>Two Panel Inswing &amp; Outswing</b> <b>Width</b> = patio door + 3/4" (19) <b>Height</b> = patio door + 1/2" (13)</p>		<p><b>Two Panel Inswing &amp; Outswing</b> <b>Width</b> = patio door width - 21.50" (546) <b>Height</b> = patio door height - 16.06" (408)</p>