

A-SERIES PICTURE WINDOWS



Table of Picture Window Sizes

Scale 1/8" (3) = 1'-0" (305) – 1:96

Notes on page 2 also apply to this page.

Window Dimension	1'-3 1/4"	1'-7 1/4"	1'-11 1/4"	2'-3 1/4"	2'-5 1/4"	2'-7 1/4"	2'-9 1/4"	2'-11 1/4"	3'-1 1/4"	3'-3 1/4"	3'-7 1/4"	3'-11 1/4"
	(387)	(489)	(591)	(692)	(743)	(794)	(845)	(895)	(946)	(997)	(1099)	(1200)
Minimum Rough Opening	1'-4"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"	3'-2"	3'-4"	3'-8"	4'-0"
	(406)	(508)	(610)	(711)	(762)	(813)	(864)	(914)	(965)	(1016)	(1118)	(1219)
Unobstructed Glass	8 5/8"	12 5/8"	16 5/8"	20 5/8"	22 5/8"	24 5/8"	26 5/8"	28 5/8"	30 5/8"	32 5/8"	36 5/8"	40 5/8"
	(219)	(321)	(422)	(524)	(575)	(625)	(676)	(727)	(778)	(829)	(930)	(1032)

CUSTOM WIDTHS – 15 1/4" to 95 1/4" (largest dimensions are 95 1/4" x 71 1/4" or 71 1/4" x 95 1/4")

CUSTOM HEIGHTS – 15 1/4" to 95 1/4"	1'-11 1/4"	2'-3 1/4"	2'-7 1/4"	2'-11 1/4"	3'-3 1/4"	3'-7 1/4"	3'-11 1/4"	4'-3 1/4"	4'-7 1/4"	4'-11 1/4"	5'-3 1/4"	5'-7 1/4"	5'-11 1/4"
	(591)	(692)	(794)	(895)	(997)	(1099)	(1200)	(1302)	(1403)	(1505)	(1607)	(1708)	(1810)
	2'-0"	2'-4"	2'-8"	3'-0"	3'-4"	3'-8"	4'-0"	4'-4"	4'-8"	5'-0"	5'-4"	5'-8"	6'-0"
	(610)	(711)	(813)	(914)	(1016)	(1118)	(1219)	(1321)	(1422)	(1524)	(1626)	(1727)	(1829)
	15 13/16"	19 13/16"	23 13/16"	27 13/16"	31 13/16"	35 13/16"	39 13/16"	43 13/16"	47 13/16"	51 13/16"	55 13/16"	59 13/16"	63 13/16"
	(401)	(503)	(604)	(706)	(808)	(910)	(1011)	(1113)	(1214)	(1316)	(1418)	(1519)	(1621)
	APW1420	APW1820	APW2020	APW2420	APW2620	APW2820	APW21020	APW3020	APW3220	APW3420	APW3820	APW4020	
	APW1424	APW1824	APW2024	APW2424	APW2624	APW2824	APW21024	APW3024	APW3224	APW3424	APW3824	APW4024	
	APW1428	APW1828	APW2028	APW2428	APW2628	APW2828	APW21028	APW3028	APW3228	APW3428	APW3828	APW4028	
	APW1430	APW1830	APW2030	APW2430	APW2630	APW2830	APW21030	APW3030	APW3230	APW3430	APW3830	APW4030	
	APW1434	APW1834	APW2034	APW2434	APW2634	APW2834	APW21034	APW3034	APW3234	APW3434	APW3834	APW4034	
	APW1438	APW1838	APW2038	APW2438	APW2638	APW2838	APW21038	APW3038	APW3238	APW3438	APW3838	APW4038	
	APW1440	APW1840	APW2040	APW2440	APW2640	APW2840	APW21040	APW3040	APW3240	APW3440	APW3840	APW4040	
	APW1444	APW1844	APW2044	APW2444	APW2644	APW2844	APW21044	APW3044	APW3244	APW3444	APW3844	APW4044	
	APW1448	APW1848	APW2048	APW2448	APW2648	APW2848	APW21048	APW3048	APW3248	APW3448	APW3848	APW4048	
	APW1450	APW1850	APW2050	APW2450	APW2650	APW2850	APW21050	APW3050	APW3250	APW3450	APW3850	APW4050	
	APW1454	APW1854	APW2054	APW2454	APW2654	APW2854	APW21054	APW3054	APW3254	APW3454	APW3854	APW4054	
	APW1458	APW1858	APW2058	APW2458	APW2658	APW2858	APW21058	APW3058	APW3258	APW3458	APW3858	APW4058	
	APW1460	APW1860	APW2060	APW2460	APW2660	APW2860	APW21060	APW3060	APW3260	APW3460	APW3860	APW4060	

A-SERIES PICTURE WINDOWS



Table of Picture Window Sizes

Scale 1/8" (3) = 1'-0" (305) – 1:96

Window Dimension	4'-3 1/4" (1302)	4'-7 1/4" (1403)	4'-11 1/4" (1505)	5'-3 1/4" (1607)	5'-7 1/4" (1708)	5'-11 1/4" (1810)	6'-3 1/4" (1911)
Minimum Rough Opening	4'-4" (1321)	4'-8" (1422)	5'-0" (1524)	5'-4" (1626)	5'-8" (1727)	6'-0" (1829)	6'-4" (1930)
Unobstructed Glass	44 5/8" (1133)	48 5/8" (1235)	52 5/8" (1337)	56 5/8" (1438)	60 5/8" (1540)	64 5/8" (1641)	68 5/8" (1743)

CUSTOM HEIGHTS — 15 1/4" to 95 1/4"	Window Model						
	APW4420	APW4820	APW5020	APW5420	APW5820	APW6020	APW6420
1'-11 1/4" (591)							
2'-3 1/4" (692)							
2'-7 1/4" (794)							
2'-11 1/4" (895)							
3'-3 1/4" (997)							
3'-7 1/4" (1099)							
3'-11 1/4" (1200)							
4'-3 1/4" (1302)							
4'-7 1/4" (1403)							
4'-11 1/4" (1505)							
5'-3 1/4" (1607)							
5'-7 1/4" (1708)							
5'-11 1/4" (1810)							
1'-11 1/4" (591)							
2'-3 1/4" (692)							
2'-7 1/4" (794)							
2'-11 1/4" (895)							
3'-3 1/4" (997)							
3'-7 1/4" (1099)							
3'-11 1/4" (1200)							
4'-3 1/4" (1302)							
4'-7 1/4" (1403)							
4'-11 1/4" (1505)							
5'-3 1/4" (1607)							
5'-7 1/4" (1708)							
5'-11 1/4" (1810)							



Custom-size windows are available in 1/8" (3) increments.

All sizes shown are available with PG upgrade†

Picture window must be installed as shown and should not be rotated.

Tall bottom rail is designed to align with bottom rail of double-hung and casement windows.

* "Window Dimension" always refers to outside frame-to-frame dimension.
 † "Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
 • Dimensions in parentheses are in millimeters.
 ‡ PG upgrade is not available for custom sizes equal to or less than 19 1/4" (489) wide and tall.

A-SERIES PICTURE WINDOWS



Table of Picture Window Sizes *(continued)*

Scale 1/8" (3) = 1'-0" (305) – 1:96

Window Dimension	1'-3 1/4" (387)	1'-7 1/4" (489)	1'-11 1/4" (591)	2'-3 1/4" (692)	2'-5 1/4" (743)	2'-7 1/4" (794)	2'-9 1/4" (845)	2'-11 1/4" (895)	3'-1 1/4" (946)	3'-3 1/4" (997)	3'-7 1/4" (1099)	3'-11 1/4" (1200)
Minimum Rough Opening	1'-4" (406)	1'-8" (508)	2'-0" (610)	2'-4" (711)	2'-6" (762)	2'-8" (813)	2'-10" (864)	3'-0" (914)	3'-2" (965)	3'-4" (1016)	3'-8" (1118)	4'-0" (1219)
Unobstructed Glass	8 5/8" (219)	12 5/8" (321)	16 5/8" (422)	20 5/8" (524)	22 5/8" (575)	24 5/8" (625)	26 5/8" (676)	28 5/8" (727)	30 5/8" (778)	32 5/8" (829)	36 5/8" (930)	40 5/8" (1032)

continued on next page

CUSTOM WIDTHS – 15 1/4" to 95 1/4" (largest dimensions are 95 1/4" x 71 1/4" or 71 1/4" x 95 1/4")

CUSTOM HEIGHTS – 15 1/4" to 95 1/4"

Window Dimension	15 1/4" (391)	19 1/4" (493)	23 1/4" (595)	27 1/4" (697)	31 1/4" (799)	35 1/4" (901)	39 1/4" (1003)	43 1/4" (1105)	47 1/4" (1207)	51 1/4" (1309)	55 1/4" (1411)	59 1/4" (1513)	63 1/4" (1615)	67 1/4" (1717)	71 1/4" (1819)	75 1/4" (1921)	79 1/4" (2023)	83 1/4" (2125)	87 1/4" (2227)	91 1/4" (2329)	95 1/4" (2431)
6'-3 1/4" (1911)	APW1464	APW1864	APW2064	APW2464	APW2664	APW2864	APW21064	APW3064	APW3264	APW3464	APW3864	APW4064									
6'-7 1/4" (2013)	APW1468	APW1868	APW2068	APW2468	APW2668	APW2868	APW21068	APW3068	APW3268	APW3468	APW3868	APW4068									
7'-3 1/4" (2216)	APW1474	APW1874	APW2074	APW2474	APW2674	APW2874	APW21074	APW3074	APW3274	APW3474	APW3874	APW4074									
7'-11 1/4" (2419)	APW1480	APW1880	APW2080	APW2480	APW2680	APW2880	APW21080	APW3080	APW3280	APW3480	APW3880	APW4080									



Custom-size windows are available in 1/8" (3) increments.

All sizes shown are available with PG upgrade:‡

Picture window must be installed as shown and should not be rotated. Tall bottom rail is designed to align with bottom rail of double-hung and casement windows.

* "Window Dimension" always refers to outside frame-to-frame dimension.
 • "Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
 † Dimensions in parentheses are in millimeters.
 ‡ PG upgrade is not available for custom sizes equal to or less than 19 1/4" (489) wide and tall.

Table of Picture Window Sizes

Scale 1/8" (3) = 1'-0" (305) – 1:96

Window Dimension	4'-3 1/4" (1302)	4'-7 1/4" (1403)	4'-11 1/4" (1505)	5'-3 1/4" (1607)	5'-7 1/4" (1708)	5'-11 1/4" (1810)
Minimum Rough Opening	4'-4" (1321)	4'-8" (1422)	5'-0" (1524)	5'-4" (1626)	5'-8" (1727)	6'-0" (1829)
Unobstructed Glass	44 5/8" (1133)	48 5/8" (1235)	52 5/8" (1337)	56 5/8" (1438)	60 5/8" (1540)	64 5/8" (1641)

	4'-3 1/4" (1302)	4'-7 1/4" (1403)	4'-11 1/4" (1505)	5'-3 1/4" (1607)	5'-7 1/4" (1708)	5'-11 1/4" (1810)
6'-3 1/4" (1911)	APW4464	APW4864	APW5064	APW5464	APW5864	APW6064
6'-7 1/4" (2013)	APW4468	APW4868	APW5068	APW5468	APW5868	APW6068
7'-3 1/4" (2216)	APW4474	APW4874	APW5074	APW5474	APW5874*	APW6074*
7'-11 1/4" (2419)	APW4480	APW4880	APW5080*	APW5480*	APW5880*	APW6080*

CUSTOM HEIGHTS – 15 1/4" to 95 1/4"



Custom-size windows are available in 1/8" (3) increments.

All sizes shown are available with PG upgrade‡

Picture window must be installed as shown and should not be rotated. Tall bottom rail is designed to align with bottom rail of double-hung and casement windows.

continued on next page

- *"Window Dimension" always refers to outside frame-to-frame dimension.
- **"Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
- ‡Dimensions in parentheses are in millimeters.
- ‡PG upgrade is not available for custom sizes equal to or less than 19 1/4" (489) wide and tall.

A-SERIES PICTURE WINDOWS



Table of Picture Window Sizes (continued)

Scale 1/8" (3) = 1'-0" (305) – 1:96

Window Dimension	6'-7 1/4" (2013)	6'-11 1/4" (2115)	7'-3 1/4" (2216)	7'-7 1/4" (2318)	7'-11 1/4" (2419)
Minimum Rough Opening	6'-8" (2032)	7'-0" (2133)	7'-4" (2235)	7'-8" (2336)	8'-0" (2438)
Unobstructed Glass	72 5/8" (1845)	76 5/8" (1946)	80 5/8" (2048)	84 5/8" (2149)	88 5/8" (2251)

CUSTOM WIDTHS – 15 1/4" to 95 1/4" (largest dimensions are 95 1/4" x 71 1/4" or 71 1/4" x 95 1/4")						
CUSTOM HEIGHTS – 15 1/4" to 95 1/4" 1'-11 1/4" (591) 2'-0" (610) 2'-3 1/4" (692) 2'-4" (711) 2'-7 1/4" (794) 2'-8" (813) 2'-11 1/4" (895) 3'-0" (914) 3'-3 1/4" (997) 3'-4" (1016) 3'-7 1/4" (1099) 3'-8" (1118) 3'-11 1/4" (1200) 4'-0" (1219) 4'-3 1/4" (1302) 4'-4" (1321) 4'-7 1/4" (1403) 4'-8" (1422) 4'-11 1/4" (1505) 5'-0" (1524) 5'-3 1/4" (1607) 5'-4" (1626) 5'-7 1/4" (1708) 5'-8" (1727) 5'-11 1/4" (1810) 6'-0" (1829) 63 13/16" (1621)	15 13/16" (401) 19 13/16" (503) 23 13/16" (604) 27 13/16" (706) 31 13/16" (808) 35 13/16" (910) 39 13/16" (1011) 43 13/16" (1113) 47 13/16" (1214) 51 13/16" (1316) 55 13/16" (1418) 59 13/16" (1519) 63 13/16" (1621)	APW6820 APW6824 APW6828 APW6830 APW6834 APW6838 APW6840 APW6844 APW6848 APW6850 APW6854 APW6858 APW6860	APW7020 APW7024 APW7028 APW7030 APW7034 APW7038 APW7040 APW7044 APW7048 APW7050 APW7054 APW7058 APW7060*	APW7420 APW7424 APW7428 APW7430 APW7434 APW7438 APW7440 APW7444 APW7448 APW7450 APW7454 APW7458* APW7460*	APW7820 APW7824 APW7828 APW7830 APW7834 APW7838 APW7840 APW7844 APW7848 APW7850 APW7854* APW7858* APW7860*	APW8020 APW8024 APW8028 APW8030 APW8034 APW8038 APW8040 APW8044 APW8048 APW8050* APW8054* APW8058* APW8060*



Custom-size windows are available in 1/8" (3) increments.

All sizes shown are available with PG upgrade.†

Picture window must be installed as shown and should not be rotated. Tall bottom rail is designed to align with bottom rail of double-hung and casement windows.

*"Window Dimension" always refers to outside frame-to-frame dimension.
 †"Minimum Rough Opening" dimensions may need to be increased to allow for use of building wraps, flashing, sill panning, brackets, fasteners or other items.
 •Dimensions in parentheses are in millimeters.
 ‡PG upgrade is not available for custom sizes equal to or less than 19 1/4" (489) wide and tall.
 *Tempered glass required.
 Some visual distortion may occur.

Custom Sizes and Specification Formulas




A-Series custom-size windows are available in $\frac{1}{8}$ " (3) increments between minimum and maximum widths and heights shown.

Some restrictions apply. **For specialty windows and windows with PG upgrade, contact your Andersen supplier for custom sizing and specifications.** Clear opening dimensions for custom-sized windows are also available in iQ+; contact your Andersen supplier.

Picture Windows

Dual-Pane & Triple-Pane



<p>Minimum R.O.</p>	<p>Width = window width + 3/4" (19)</p> <p>Height = window height + 3/4" (19)</p>	<p>Unobst. Glass</p>	<p>Width = window width - 6.65" (169)</p> <p>Height = window height - 7.45" (189)</p>
----------------------------	---	-----------------------------	---

* Dimensions in parentheses are in millimeters.

• **Clear Opening** formulas provide dimensions for determining area available for egress. **Vent Opening** formulas provide dimensions for determining area available for passage of air. **Minimum R.O.** (minimum rough opening) formulas provide minimum rough opening width and height dimensions. **Unobst. Glass** (unobstructed glass) formulas provide dimensions for determining area available for passage of light.